



VOL 88

ADRENALINE IRANGE IN THE IRANGE IN THE IRANGE IN THE IRANGE IRANGE IN THE IRANGE IRANG

MIRACLE PLAYGROUNDS ARE ELECTRIC.

We're talking about those crackling, contagious currents that kids create, from the sound of an upside-down belly laugh to the kinetic energy of a slide. That's what fuels our craft, day in and day out.



Miracle

CONTENTS

- $0\overline{2}$ who we are
- 04 HOW WE PLAY
- 10 INCLUSIVE PLAY
- 14 PARKS AND RECREATION
- 16 schools
- 18 URBAN PLANNERS
- 20 LANDSCAPE ARCHITECTS
- 22 HOW TO FUND
- 24 NEW PRODUCTS
- 36 CUSTOM PLAY
- 42 STRUCTURES
- 100 COMPONENTS
- 156 FREESTANDING EQUIPMENT
- 190 SITE AMENITIES
- 205 SALES REPRESENTATIVES





Miracle has an app! Miracle



Just search "Miracle Recreation" in the App Store to download the app to further enhance your Miracle experience! Whenever you see this icon, use the app to scan the image to unlock great new content including product info, additional images, videos, and more!

MIDDLE NAME

...and has been for 88 years. We continue to push the boundaries of play, and the big ideas that inspire our work today are exactly the kinds of ideas that got us started.

The Birth of the Iconic Miracle Whirl

In 1927, Johnnie Ahrens—father of Miracle Recreation Equipment Company Founder Claude Ahrens—imagined a horseless merry-go-round powered by kids. Just grab the bar, shift your weight, and voila! You're spinning!

ENDLESS INNOVATIONS

We've continued to innovate, building bigger, taller, and smarter.

And that's not something we plan to change any time soon.



In the 1950s, Miracle pioneered the use of colorful, splinter-free fiberglass in playground equipment.




In the 2000s, we introduced another icon: the Mega Tower® design, complete with the industry's tallest slides.



In 2015, Miracle brings thrilling play for children of all abilities with the innovative, new Avalanche Inclusive slide.



Miracle now holds more than 38 patents registered with



THE MIRACLE Advantage

If you can dream it, we can do it—with unfailing expertise and an acute eye for detail. We'll stick with you every step of the way, from designing and specifying to funding, purchasing, and installation.

We want you to feel confident about choosing Miracle. Our customized, FREE design process ensures that you'll find the right products for the right price.

CONTACT YOUR Miracle-Worker

to bring your project to life! 1-888-458-2752









We're committed to providing equipment that meets and/or exceeds the performance safety specifications established by organizations such as ASTM, CPSC, CSA, CPSIA, IPEMA, and EN.

To verify product certification, visit www.ipema.org.

WE MAKE QUALITY A PRIORITY



VERSALOK®

Our patented clamp design features a stainless steel, tamper-resistant fastener that eliminates the need for stacking multiple clamps.



GATOR GRIP®

The 3D textured pattern makes it easy—and comfortable—for kids to hold on tight.



ANTI-MICROBIAL COATINGS

Cooties beware! These are available in select Miracle paint colors to help prevent the spread of bacteria.



MIRA-THERM™

This textured, vinyl coating for deck surfaces helps prevent rapid heat transfer, while the circle pattern keeps little fingers safe from harm.



We stand behind our products. See our Comprehensive Warranty coverage on pg. 201.



We're Eco-Friendly, Too

We use recycled tires to make rubber mulch surfacing and recycled plastic to build Miracle Trim Timbers®. We also sell plastic regrind to keep it out of landfills, and we're OHSAS 18001 and ISO 14001 certified.

POUR PLAYSPACE

MIRACLETECH SECURITY*

A new playground is a big investment, both financially and holistically. Security problems like vandalism, graffiti, and theft cost playground owners millions of dollars each year. Combine that with the risk of child abduction and other violent crimes, and playground security becomes a top priority.

That's why we've developed MiracleTech® Security: to help keep your playgrounds, as well as the children who use them, as safe as possible.

*US Only

Optional Single or Dual Solar Panel





Keep an eye out around the clock

- Motion-activated
- Real-time video
- Infrared nighttime imaging
- Wireless communication
- Polycarbonate lens cover





Eliminate shadows where vandals may hide

- Motion-activated
- · Long bulb life
- Polycarbonate lens cover
- Low power consumption
- Dusk-to-dawn sensing available





Hinder unwanted, afterhours visitors

- Exclusive Mosquito[™] ultrasonic sound technology
- Motion-activated
- Weatherproof
- Configurable frequency range and volume
- Dusk-to-dawn sensing available





MEET OUR EXPERTS

What do an 11-year-old triathlete, former NASA astronaut, pro surfer, occupational therapist, and kid gymnast have in common?

They're all members of Miracle's Not-So Bored of Directors—a diverse panel of risk-takers, boundary-pushers, knowledge-seekers, and go-getters who inform and inspire our work.

We think you'll be inspired, too.



CONNOR LONG TRIATHLETE AND NOT-SO BORED CHAIRMAN

In 2012, Sports Illustrated named Connor the "SportsKid of the Year," along with his little brother, Cayden. That's because, even though Cayden has cerebral palsy, the boys compete together in triathlons.

Connor shares our belief that no child should be excluded from the excitement of play. He's brimming with hundreds of ideas for Miracle—he even helped design the new Miracle playground in his hometown!

DR. ZOE MAILLOUX OCCUPATIONAL THERAPIST

Nationally and internationally recognized for her expertise in child development, autism, sensory integration, test development, and occupational therapy—whew!—Zoe knows that play is an integral part of a healthy childhood. With Zoe's insight, we make sure every child has a chance to benefit from the exciting opportunities that play has to offer.





CLAY MARZO PROFESSIONAL SURFER

The crashing, splashing waves of the ocean are Clay's playground. He's a national surfing champ who comes alive the moment his board hits the water. Clay also has Asperger's Syndrome. He embraces his individuality, encouraging kids to do their own thing, and inspires us to dream up more unique, exciting creations for every kind of kid.

TOM HENRICKS ASTRONAUT

When he was a NASA Space Shuttle Commander, Tom traveled at a speed of five miles per second. Talk about an adrenaline rush! He was also the first commander to log more than 1,000 hours in space. Tom believes that kids should get outside more often and encourages them—and us!—to dream big.





KATIE CURRIER GYMNAST

One of the country's best trampolinists at just 12 years old, Katie aspires to compete in the 2020 USA Olympics. When she's not tumbling or perfecting her trampoline tricks, Katie studies hard as an honors student. She knows that play should be challenging, enjoyable, and safe, and reminds us to raise the bar when it comes to our play structures.

WANT TO LEARN MORE ABOUT OUR THRILL EXPERTS? VISIT MIRACLE-RECREATION.COM/THRILL-FOR-ALL

TOUGH FOR ALL, ALL FOR PLAY!



Our website also has inspirational stories, videos, and images of inclusive playgrounds. Check it out at www.miracle-recreation. com/planning/solutions/inclusive-playgrounds

MUST-HAVES FOR AN INCLUSIVE PLAYGROUND

- ACCESSIBILITY

 There must be an ADA-approved route to the playground use zone.
- All kids should be able to participate in elevated and ground-level play. Ramps and transfer points throughout the playground allow children of all abilities to engage.
- Integrating a variety of play opportunities can allow children to explore, develop and integrate all their senses, including the sensations of touch, movement, body awareness, vision and hearing while supporting motor planning and social play experiences.
- INTEGRATION

 The play space should feel like a cohesive community where accessible and sensory-rich play opportunities are located in the midst of all the action.



Meet Dr. Zoe Mailloux

Dr. Zoe Mailloux, a pediatric occupational therapist, is highly respected for her knowledge on the importance of play for children, including those on the autism spectrum. Zoe joined the Not-So-Bored of Directors to help us design playgrounds that are exciting and challenging for every child.





AVALANCHE INCLUSIVE SLIDE

SEE PAGE 28 FOR PRODUCT DETAILS

This is the first and only accessible slide of its kind. The lower transfer point allows children to access the slide from ground level. From there, they can pull themselves up by gripping the side rail. Once they've reached the desired height, gravity whisks them down the slide.

SENSORY BENEFITS:

The **Avalanche Inclusive Slide** is great for developing upper body strength. It also facilitates many other sensory motor skills as children go up and down the slide. For children with autism and other sensory needs this sort of intense movement is important and often hard to find. **J

Dr. Zoe Mailloux not-so bored of directors member



TEN SPIN

SEE PAGE 174 FOR PRODUCT DETAILS

Built to accommodate up to 10 kids at once, this popular, freestanding event allows children of all abilities to join in the fun by either sitting, kneeling, or standing.



SENSORY BENEFITS:

In addition to the benefits of the rotary motion to support balance, the cozy cocoon shaped seats offer postural support, providing helpful boundaries for children who need help recognizing and adjusting the position of their bodies.



CLOVER LEAF SANDBOX

SEE PAGE 177 FOR PRODUCT DETAILS

Specifically designed with multiple access points, this inclusive sandbox offers sensory play for children with varied developmental and physical needs.



SENSORY BENEFITS:

Children can enjoy the nurturing and valuable elements of tactile play at the "just right" height for everyone. The divided sections also enable children to play among peers but while staying in their own personal space.



ACCELERATOR SWING

SEE PAGE 183 FOR PRODUCT DETAILS

Built with a large disc and protective rubber bumper, this group swing incorporates the motion of a traditional swing with the added fun of interactivity.



SENSORY BENEFITS:

Up and down, side to side and all the way around–the Accelerator Swing helps activate and integrate the important sense of movement and gravity–the vestibular sense.



THERAPEUTIC SWING SEAT

SEE PAGE 183 FOR PRODUCT DETAILS

Our Therapeutic Swing provides a safety harness for children in need of extra security and support.



PULL ALONG

SEE PAGE 176 FOR PRODUCT DETAILS

This wheelchair accessible freestanding event offers a slider bay and overhead climber, providing multiple play events in one.



SENSORY BENEFITS:

Allows children to slide back and forth, providing deep muscle pressure that supports and develops the vital sense of body awareness - proprioception. Learning about position, grading of force and developing upper body strength and coordination are other benefits of the Pull Along.



REFLEX

SEE PAGE 176 FOR PRODUCT DETAILS

Children can ride the waves and enjoy the up and down motion of the Reflex. Multiple children can work together to achieve a smooth, swaying movement.



SENSORY BENEFITS:

The up and down movement that is hard to find on most playground equipment not only provides crucial vestibular sensation, but also supports the development of balance, postural control, and core strength and position awareness.

AND RECREATION

MAKE A PLAY DESTINATION

Parks provide an ideal space for playgrounds to become community centerpieces and sought-after retreats for families to enjoy. Whether you're replacing an older play structure or building a brand new park facility, our experienced network of playground professionals can make it happen.





SIMPLIFYING THE BIDDING PROCESS

As a proud partner with National Joint Powers Alliance (NJPA), we make the bidding process easy. Contact vour Miracle worker for more information.



Designs with Impact

We've got what it takes to excite a community. From our skyscraping Mega Tower® structures and our fun, freestanding play equipment, to inclusive products for children of all abilities, Miracle knows how to bring thrill for all.

Quality & Durability

Our quality is second to none. With our stainless steel tamper-resistant hardware Versalock® Clamping System, 5" powder-coated steel posts, Mira-Therm™ vinyl deck surfaces, and unique Gator Grip®, our products will stand the test of time.



Warranty

We stand behind our products with a limited warranty for as long as you own the product and a 15-year warranty on all rigid main play structure plastics, steel and vinyl-coated components. See page 201 for details.

SCI1001 RECESS

INSPIRE KIDS TO LEARN

Elementary school playgrounds: where kids scramble to the slides, dangle from monkey bars, and let their imaginations soar.



DAY IN, DAY OUT DURABILITY

Our playgrounds are built to endure hundreds of children on a daily basis. We back this up with our limited warranty. See details on page 201.



Raising Funds

We can help plan your project and provide resources for funding options. To learn about our FunRaising™ opportunities, see page 23.





Easy to Start

FREE consultation, playground designs, and planning assistance. Contact your Miracle Worker today!



Safety First

We comply with CPSC guidelines for public playgrounds, as well as other industry standards. See page 4 for details.





Urbanners.

CREATE KID-SIZED SKYSCRAPERS

At Miracle, we know that urban-friendly playgrounds have many factors to contend with: towering architecture, bustling people, ample excitement, and the need for built-in resilience.

Miracle play equipment not only provides a fun, safe place for kids to express themselves—it also stands up to the potential wear and tear of a city environment.

PLAY THAT FITS IN

We know it's important for urban play structures to work with their surroundings. Our experienced sales representatives can work within the confines of any space and propose the right design or theme to compliment the environment.



Busy Parks Need Big Fun

The ever-popular Miracle Mega Tower® takes play to higher ground and creates a focal point in any urban park.

Strength & Durability

From stainless steel slides (pg. 121) and a variety of steel climbers (pg. 102) to our vast selection of steel play panels (pg. 149), we've got the products to suit your city park environment.



CONTACT YOUR LOCAL REPRESENTATIVE LISTED ON PG. 205

Security

Want to make sure you're protecting your investment? So do we! Learn about MiracleTech® Security on page 6.

Landscape ARCHITECTS

BRING YOUR CREATIVE EDGE TO LIFE

There are plenty of playgrounds out there, but that doesn't mean that yours has to blend in with the rest. In fact, we're committed to making sure you have a playspace that's as unique as your ideas.





Unique Custom Designs

If you have a unique vision for your playground project, we've got the Custom Design Team to make it happen. We're up for the challenge and ready to turn your vision into a reality. See page 36 for more details.

Partnering with You

We'll work with you to make your project a success. We're quick to provide everything you need from CAD files to renderings because we're just as eager as you are to see the playspace come to life!

CUSTOM DESIGN - CONTACT YOUR LOCAL REPRESENTATIVE FOR MORE INFORMATION.



714-S387

The Full Solution

In addition to our expansive playground offerings, we also have a wide selection of site amenities, surfacing, and shade to make your project complete.

MAKE A BUDGET

Ready to purchase a new playground? We're ready to make it happen! Don't forget to factor in these costs:

.....

EQUIPMENT ESTIMATE

This includes all structures, components, and accessories that go into making your high-quality Miracle playground.

SURFACING ESTIMATE

Every playground is required to have a minimum amount of safety surfacing. Your Miracle representative will help you figure out what's best.

SHIPPING ESTIMATE

Talk with your representative to estimate the cost of freight to deliver your shiny-new playground to you, in full and on time.

INSTALLATION ESTIMATE

Your Miracle representative will help you find a certified installer, so you can break ground on your new playground with confidence!

YOUR TOTAL BUDGET

Add up the above estimates to get your total budget.

.....

CALL YOUR Miracle-Worker

Your Miracle representative can help design the right playground for your budget.

1-888-458-2752

Prices shown in catalog are approximate and reference the cost of playground equipment only.





Funding the fun

MIRACLE'S FUNRAISING™ PROGRAM

With our help, your organization will be able to raise enough funds for a new playground in no time! Miracle offers customized FunRaising programs for every group, along with free supplies, 50% profit on food and non-food programs, fundraising kick-off packets, and expert help.

Call our FunRaising hotline at 1-888-683-0049 and join hundreds of communities whose playground dreams have been brought to life.

FunRaising Hotline 1-888-683-0049



Miracle is an official Partner in Play! Apply for a Kaboom! Playful Cities playground GRANT to fund your playground community.



Shop for Miracle products electronically from the GSA Advantage website. Miracle's GSA number is: GS07F9713G

FINANCING

Miracle has teamed up with leasing companies to provide capital for equipment and to save you some money. Contact your Miracle representative for more information.

BIDDING MADE EASY



Miracle is proud to partner with the National Joint Powers Alliance (NJPA). They go through the same competitive bid process, so you don't have to.

www.njpacoop.org



TO FARTHER

NEW PRODUCTS

At Miracle, we're always dreaming up new ways to make play exhilarating and challenging for every child. This year we're offering everything from giant swings, suspended bridges and multi-directional climbers to an all-inclusive slide.

I think being normal is kind of boring. It's cool to be different and to go through life feeling different experiences that other people might not understand.

Clay Marzo

PROFESSIONAL SURFER AND NOT-SO BORED OF DIRECTORS MEMBER

OUR STOCKID SCAN MAGE COURS COURS COURS MAGNET



714-S426

FOR AGES 5-12

PROTECTIVE AREA: 73' X 56' (22.3m X 17.1m)

SHIPPING WEIGHT: 16,105 lbs (7,305 kg)

ELEVATED PLAY ACTIVITIES: 15

GROUND LEVEL PLAY ACTIVITIES: 5

*Freestanding items not included.

PLAY AREA CAPACITY: 135-145



Miracle strongly suggests that a safety sign stating age appropriateness and safety rules be displayed on every playground. An appropriate energy-absorbing surface reaulised under all lalay equipment.

NEW FOR KIDS' CHOICE®

Endlessly innovative, totally versatile, and challenging for every child, our new Kids' Choice play structures are compatible with our other products and can be customized to fit any space or age group.



Every one of these pieces supports sensory and motor development in unique and fun ways. For children with developmental challenges such as autism, attention disorders or sensory differences, all of these pieces provide sensation and motor planning opportunities that can facilitate new skills and productive behavior.

Dr. Zoe Mailloux

OCCUPATIONAL THERAPIST AND MEMBER OF THE NOT SO BORED OF DIRECTORS

NEW PRODUCTS FOR KIDS' CHOICE®



Avalanche Inclusive Slide

714-682-51 Avalanche Slide with Mesh Barrier 714-682-5 Avalanche Slide with Bars Barrier

AGES 5-12

This unique slide allows wheelchair-dependent kids to participate by pulling themselves up and sliding down. The multi-user design also encourages cooperative play. Kids can use handgrips to reach the highest point of four different pathways for maximum height and speed.

DECK HEIGHT: 5'



If The Avalanche
Inclusive Slide is cool because
in space we moved around by
using our arms, not our legs. The
lide down will also give a reduced
arayity sensation 33

Tom Henricks

ASTRONAUT AND MEMBER OF THE NOT SO BORED OF DIRECTORS



Skyward Climber

714-679-8

AGES 5-12

Kids can work their way up our 90-degree climber from the outside or inside of the ladder.

DECK HEIGHT: 8'



Backtrack Climber

714-678-8 96" Deck Height **714-678-6** 78" Deck Height

NGES 5-12

Climbing up this multi-directional climber requires some strategic flip-flopping, but nothing a Miracle kid can't handle. Available in 2 models.

DECK HEIGHTS: 6'6" and 8'





Tri-Totter

923

AGES 5-12

We reimagined the teeter-totter by introducing an extra seat–and an extra path of motion! Users can work together for a smoother ride or independently for more unexpected movement.

WEIGHT: 175 lbs (79.4 kg)



Vortex Slide Hood

Newly designed hoods for use on a variety of our slides available on most slide types.




Domed Wave Slide Hood

This Domed Wave Hood works with a variety of Typhoon™ slides. Available in one model.

I like that you can hang out at the top of the slide.
You can see other kids but they can't see you!

Clay Marzo

PRO SURFER AND MEMBER OF THE NOT SO BORED OF DIRECTORS





714-677-1 Inclined



714-683-5 Ground to deck

Hurricane Bridge Climber

714-677 Deck to deck

NGES 5-12

Suspended rings sway back and forth as kids scramble to the other side. This product can be used with several new components and existing climbers. Available in 3 models.

DECK HEIGHT: 2' to 5'

NEW PRODUCTS FOR KIDS' CHOICE®




Quad Wave Roof Topper 714-680-4T



Hex Wave Roof Topper 714-680-6T



Quad Wave Roof with Topper 714-680-4C



Hex Wave Roof with Topper 714-680-6C



Cheer Roof 714-681



Cheer Roof with Wave 714-681W



Bar Wave Barrier 714-816W Full Available in full or half models.



Mesh Wave Barrier
714-816-1W Full
Available in full or half models.



My mom has an iPhone and iPad. I just want to go outside and play.

Conner Long

TRIATHLETE AND NOT-SO BORED OF DIRECTORS CHAIRMAN

OUR NEW DESIGNS WORK WITH ANY BUDGET!



NEW KIDS' CHOICE® 2

FOR AGES 5-12

PROTECTIVE AREA: 59' X 47' (18.0m X 14.3m)
SHIPPING WEIGHT: 10,340 lbs (4,690 kg)
ELEVATED PLAY ACTIVITIES: 10
GROUND LEVEL PLAY ACTIVITIES: 4
PLAY AREA CAPACITY: 125-135





NEW KIDS' CHOICE® 3

714-S428

FOR AGES 5-12

PROTECTIVE AREA: 47' X 36' (14.3m X 11.0m)
SHIPPING WEIGHT: 5,575 lbs (2,529 kg)
ELEVATED PLAY ACTIVITIES: 5
GROUND LEVEL PLAY ACTIVITIES: 2
PLAY AREA CAPACITY: 60-40



Miracle® strongly suggests that a safety sign stating age appropriateness and safety rules be displayed on every playground. An appropriate energy-absorbing surface is required under all play equipment.

NEW PRODUCTS FREESTANDING



Mantis

745-20 Mantis 65' 7" (20m) **745-30** Mantis 98' 5" (30m)

AGES 5-12

This cableway captures the feeling of flight as kids safely soar from one end to the other. Capacity for one user at a time

WEIGHT: 1,910 lbs (866 kg)

745-20 PROTECTIVE AREA: 96' x 23' (29m x 7m) **745-30 PROTECTIVE AREA:** 128' 9" x 23' (39m x 7m)



Conner Long

TRIATHLETE AND MEMBER OF THE NOT SO BORED OF DIRECTORS



Viper 2015

AGES 5-12

Kids can stand or sit on this giant pendulum swing, secured by plastic-coated chains.

PROTECTIVE AREA: 56' 6" x 21' 9" (17.2m x 6.6m)

WEIGHT: 1,325 lbs (601 kg)







Free Rider

8018603

AGES 5-12

The Free Rider chain-suspended swing allows kids to feel like they're snowboarding or skateboarding. Handlebars help steady those who choose to stand up.

PROTECTIVE AREA: 20' 1" x 19' 1" (6.1m x 6.05m)

WEIGHT: 335 lbs (140 kg)



Flipper 8027297

AGES 2-12

This modern springboard not only develops balance, coordination, and strength, but it also encourages kids to interact with one another and to test their abilities.

PROTECTIVE AREA: 15' 2" X 15' 2" (4.6m x 4.6m)

WEIGHT: 200 lbs (90.7 kg)

Vippy 8021549

AGES 5-12

We love adding a new twist to classic products. This contemporary seesaw allows kids to grip sturdy handlebars as they move up and down.

PROTECTIVE AREA: 22' 11" x 16' 2" (7m x 5m)

WEIGHT: 200 lbs (90.7 kg)



I am 13, but I still LOVE to swing and strengthen my balancing skills. I would get a great work out on the Free Rider, whether standing up or sitting down!


Katie Courier

GYMNAST AND MEMBER OF THE NOT SO BORED OF DIRECTORS



ONE, TWO, THREE, GO!

It's the fun of a Chameleon™ II slide, multiplied! Now available with dual and triple entry points. Available in your choice of color combinations.



Double Entry Chameleon™ II Slide

670-M2

COMPATABILITY: KC or TC ATTACHMENT RANGE: 2' 6" to 8' 6"



Triple Entry Chameleon™ II Slide

670-M3

COMPATABILITY: KC or TC ATTACHMENT RANGE: 3' 6" to 8' 6"



Freestanding Chameleon™ II Slide 65-670-1

AGES 5-12 Available in 5' or 6'



Chameleon™ II Slide for Nexus® 466-670-1

AGES 5-12 Available in 5'

Only available with Nexxus systems

NEW PRODUCTS OUTDOOR TRAINING SYSTEM

PUSH THE LIMITS OF OUTDOOR FITNESS

Place the Outdoor Training System along a trail or outdoor workout zone to create a comprehensive fitness destination for individuals or groups.



Group Fit I

5 STATIONS + 6 CONNECTORS Limitless Configurations!

SEE PAGE 184 FOR FULL DETAILS





DICCUIII BIGGER

CUSTOM

From zoo safaris to pirate ships, Miracle custom playgrounds create one-of-a-kind play destinations.

The solution is combining imagination with actual play. Staring up at the stars and imagining space travel may seem farfetched, but it is a potential reality.

Tom Henricks

ASTRONAUT AND NOT-SO BORED OF DIRECTORS MEMBER

DECUMTO LIFE

Here's how to get started:



SHARE YOUR IDEAS

Contact your Miracle representative to start the design process.



DESIGN YOUR SPACE

We'll provide you with drawings and concepts that transform your ideas into a tangible framework.



FINALIZE YOUR CONCEPT

This includes final drawings, project costs and timelines.



MAKE IT HAPPEN!

This is the best part! Our expert staff will build a custom, high-quality, safe and durable play space that fits your needs.





WITH MIRACLE'S CUSTOM DESIGN CAPABILITIES, YOU CAN:

- Create unique playground sculptures or customize standard equipment
- Choose custom color options
- Use your own graphics and artwork on play panels and roofs





Record Step Climber



Music Notes Climber

Piano Roof

MARVIN GAYE PARK PLAYGROUND

Miracle created two rock 'n' roll play areas—one for 2 to 5-year-olds and one for 5 to 12-year olds—as part of the renovation to the Marvin Gaye Park in Washington, D.C.

The longest municipal park in the city now features fully customized play structures reminiscent of the Prince of Motown's inspiring legacy.





Music Note Wall Walker



Piano Buttress Climber

Snare Drum Climbing Steps





STRUCTURES

Kids want things bigger, bolder, and brighter, dreaming of the tallest towers and the fastest slides. That's how we build.

44 Play isn't just important. Play is EVERYTHING when it comes to a child's development. "

Dr. Zoe Mailloux

OCCUPATIONAL THERAPIST AND NOT-SO BORED OF DIRECTORS MEMBER

SIPUCIUPETYPES



MEGA TOWER® AGES 5-12

With some of the highest enclosed slides in the industry, the Mega Tower structure reaches up to 25 feet tall and comes in double and triple-deck systems.



CENTER STAGE® AGES 2-12

Center Stage systems are designed around a single pedestal keeping children in sight at all times.



KIDS' CHOICE® AGES 2-12

Kids' Choice elements are compatible with our other product lines and can be customized to fit any space and age group. For new Kids' Choice products, see pages 26-31.

TOTS' CHOICE® AGES 2-12

This system offers big play value, flexibility and innovative features at any budget.



CUSTOM/THEMED STRUCTURES AGES 2-12

From castles to trains, themed play spaces inspire imaginative role play and social cooperation.



FITNESS CLUSTERS AGES 5-12

Our Fitness Clusters help kids develop flexibility and cardiovascular health while building coordination, balance and endurance.



TODDLERS' CHOICE® AGES 2-5

These structures have been a top choice for years—not just with toddlers, but also with daycares, preschools and churches.





714-S383


FOR AGES 5-12

PROTECTIVE AREA: 76′ X 73′ (23.2m X 22.3m) **SHIPPING WEIGHT:** 34,265 lbs (15,542 kg)

ELEVATED PLAY ACTIVITIES: 19
GROUND LEVEL PLAY ACTIVITIES: 7
PLAY AREA CAPACITY: 240-250











REVERSE VIEW



714-S387


FOR AGES 5-12

PROTECTIVE AREA: 67' X 68' (20.4m X 20.7m) **SHIPPING WEIGHT:** 16,830 lbs (7,634 kg)

ELEVATED PLAY ACTIVITIES: 17
GROUND LEVEL PLAY ACTIVITIES: 6
PLAY AREA CAPACITY: 145-155









REVERSE VIEW




714-S389

FOR AGES 5-12

PROTECTIVE AREA: 64' X 68' (19.5m X 20.7m)
SHIPPING WEIGHT: 18,745 lbs (8,503 kg)
ELEVATED PLAY ACTIVITIES: 13
GROUND LEVEL PLAY ACTIVITIES: 5
PLAY AREA CAPACITY: 130-140









REVERSE VIEW



714-S384

FOR AGES 5-12

PROTECTIVE AREA: 78' X 70' (23.8m X 21.3m) **SHIPPING WEIGHT**: 13,710 lbs (6,219 kg) ELEVATED PLAY ACTIVITIES: 13 **GROUND LEVEL PLAY ACTIVITIES: 15** PLAY AREA CAPACITY: 155-165










REVERSE VIEW




714-S385

FOR AGES 5-12

PROTECTIVE AREA: 50' X 58' (15.2m X 17.7m)
SHIPPING WEIGHT: 17,405 lbs (7,895 kg)
ELEVATED PLAY ACTIVITIES: 11
GROUND LEVEL PLAY ACTIVITIES: 4
PLAY AREA CAPACITY: 90-100







REVERSE VIEW




714-S388

FOR AGES 5-12

PROTECTIVE AREA: 45' X 47' (13.7m x 14.3m)
SHIPPING WEIGHT: 9,000 lbs (4,082 kg)
ELEVATED PLAY ACTIVITIES: 10
GROUND LEVEL PLAY ACTIVITIES: 0
PLAY AREA CAPACITY: 90-100
*Freestanding items not included.









REVERSE VIEW



714-S386


FOR AGES 5-12

PROTECTIVE AREA: 55' X 51' (16.8m X 15.5m)
SHIPPING WEIGHT: 9,365 lbs (4,248 kg)
ELEVATED PLAY ACTIVITIES: 9
GROUND LEVEL PLAY ACTIVITIES: 5
PLAY AREA CAPACITY: 65-75





Miracle® strongly suggests that a safety sign stating age appropriateness and safety rules be displayed on every playground. An appropriate energy-absorbing surface is required under all play equipment.





REVERSE VIEW



714-\$417

FOR AGES 5-12

PROTECTIVE AREA: 37' X 44' (11.3m X 13.4m) **SHIPPING WEIGHT**: 12,060 lbs (5,470 kg) **ELEVATED PLAY ACTIVITIES: 8 GROUND LEVEL PLAY ACTIVITIES:** 3 PLAY AREA CAPACITY: 75-85







MEGA TOWER®

714-S418

FOR AGES 5-12

PROTECTIVE AREA: 45' X 53' (13.7m X 16.15m) SHIPPING WEIGHT: 9,460 lbs (4,291 kg) **ELEVATED PLAY ACTIVITIES: 12 GROUND LEVEL PLAY ACTIVITIES:** 4 PLAY AREA CAPACITY: 85-95







MEGA TOWER®

714-S419

FOR AGES 5-12

PROTECTIVE AREA: 49' X 46' (15m X 14m) **SHIPPING WEIGHT:** 9,925 lbs (4,502 kg) ELEVATED PLAY ACTIVITIES: 9 **GROUND LEVEL PLAY ACTIVITIES:** 3 PLAY AREA CAPACITY: 75-85








714-S390

FOR AGES 5-12

PROTECTIVE AREA: 93' X 51' (28.3m X 15.5m)
SHIPPING WEIGHT: 19,120 lbs (8,672.7kg)
ELEVATED PLAY ACTIVITIES: 18
GROUND LEVEL PLAY ACTIVITIES: 7
PLAY AREA CAPACITY: 185-195











REVERSE VIEW



714-S392


FOR AGES 5-12

PROTECTIVE AREA: 78' X 48' (23.8m X 14.6m) **SHIPPING WEIGHT**: 14,740 lbs (6,686 kg)

ELEVATED PLAY ACTIVITIES: 16
GROUND LEVEL PLAY ACTIVITIES: 5
PLAY AREA CAPACITY: 120-130









REVERSE VIEW



714-S413

FOR AGES 5-12

PROTECTIVE AREA: 67' X 47' (20.4m X 14.3m) **SHIPPING WEIGHT:** 20,285 lbs (9,201 kg)

ELEVATED PLAY ACTIVITIES: 16
GROUND LEVEL PLAY ACTIVITIES: 5
PLAY AREA CAPACITY: 110-120







REVERSE VIEW




714-S393

FOR AGES 5-12

PROTECTIVE AREA: 72' X 50' (22m X 15.2m) **SHIPPING WEIGHT**: 16,250 lbs (7,370.9 kg) ELEVATED PLAY ACTIVITIES: 17 **GROUND LEVEL PLAY ACTIVITIES:** 6

PLAY AREA CAPACITY: 165-175



REVERSE VIEW



714-S391


FOR AGES 5-12

PROTECTIVE AREA: 64' X 50' (19.5m X 15.2m)
SHIPPING WEIGHT: 15,090 lbs (6,844.7 kg)
ELEVATED PLAY ACTIVITIES: 15
GROUND LEVEL PLAY ACTIVITIES: 5


PLAY AREA CAPACITY: 125-135








REVERSE VIEW




714-S394

FOR AGES 5-12

PROTECTIVE AREA: 59' X 51' (18m X 15.5m) **SHIPPING WEIGHT**: 9,975 lbs (4,524.6 kg) ELEVATED PLAY ACTIVITIES: 14 **GROUND LEVEL PLAY ACTIVITIES:** 5 PLAY AREA CAPACITY: 115-125



REVERSE VIEW



714-S395


FOR AGES 2-12

PROTECTIVE AREA: 47' X 30' (14.3m X 9.1m)
SHIPPING WEIGHT: 6.130 lbs (2.780.5 kg)
ELEVATED PLAY ACTIVITIES: 10
GROUND LEVEL PLAY ACTIVITIES: 3

PLAY AREA CAPACITY: 60-70







REVERSE VIEW



714-S420

FOR AGES 2-12

PROTECTIVE AREA: 39' X 38' (11.9m X 11.6m) **SHIPPING WEIGHT**: 5,155 lbs (2,338.3 kg) **ELEVATED PLAY ACTIVITIES: 7 GROUND LEVEL PLAY ACTIVITIES:** 3

PLAY AREA CAPACITY: 60-70





We make Shade easy! Contact your local sales representative for our integrated and freestanding shade options.



CENTER STAGE®

714-S421

FOR AGES 5-12

PROTECTIVE AREA: 44' X 41' (13.4m X 12.5m) SHIPPING WEIGHT: 4,970 lbs (2,254.4 kg) **ELEVATED PLAY ACTIVITIES: 7 GROUND LEVEL PLAY ACTIVITIES: 2** PLAY AREA CAPACITY: 50-60







CENTER STAGE®

714-S422

FOR AGES 2-5

PROTECTIVE AREA: 29' X 31' (8.8m X 9.4m) SHIPPING WEIGHT: 2,675 lbs (1,213.4 kg) **ELEVATED PLAY ACTIVITIES:** 5 **GROUND LEVEL PLAY ACTIVITIES: 2** PLAY AREA CAPACITY: 30-40








714-\$396


FOR AGES 5-12

PROTECTIVE AREA: 69' X 31' (21.0m x 9.4m) SHIPPING WEIGHT: 6,305 lbs (2,860 kg) **ELEVATED PLAY ACTIVITIES:** 6 GROUND LEVEL PLAY ACTIVITIES: 8 PLAY AREA CAPACITY: 65-75











REVERSE VIEW



714-S401


FOR AGES 5-12

PROTECTIVE AREA: 59' X 55' (18.0m x 16.8m)
SHIPPING WEIGHT: 16,230 lbs (7,361.8 kg)
ELEVATED PLAY ACTIVITIES: 18

GROUND LEVEL PLAY ACTIVITIES: 6
PLAY AREA CAPACITY: 175-185









714-S415

FOR AGES 5-12

PROTECTIVE AREA: 70' X 42' (21.3m x 12.8m) SHIPPING WEIGHT: 15,480 lbs (7,021.6 kg) ELEVATED PLAY ACTIVITIES: 16

ELEVATED PLAY ACTIVITIES: 16
GROUND LEVEL PLAY ACTIVITIES: 7
PLAY AREA CAPACITY: 130-140








REVERSE VIEW

714-S402

FOR AGES 2-12

PROTECTIVE AREA: 44' X 46' (13.4m x 14.0m)
SHIPPING WEIGHT: 9,615 lbs (4,361.3 kg)
ELEVATED PLAY ACTIVITIES: 13
GROUND LEVEL PLAY ACTIVITIES: 5
PLAY AREA CAPACITY: 115-125





MCBRIDE PARK LONG BEACH, CA


KIDS' CHOICE®

714-S406

FOR AGES 5-12

PROTECTIVE AREA: 54' X 41' (16.5m x 12.5m)
SHIPPING WEIGHT: 6,900 lbs (3,129.8 kg)
ELEVATED PLAY ACTIVITIES: 9
GROUND LEVEL PLAY ACTIVITIES: 3
PLAY AREA CAPACITY: 65-75

PLAY AREA CAPACITY: 65-75





Miracle® strongly suggest/illtatalle®sufengtignuggeistg/tage a safety sign statling age appropriateness and safetyprutesibleedisplanyetsoftelyeutes be displayed on every playground. An appropriatelyagenesy6-sos aphipplaidtesefregy-absorbing surface is required under all play equipment.




714-S403


FOR AGES 5-12

SHIPPING WEIGHT: & 736(16 \$1064)704(6)kg) **ELEVATED PLAY ACTIVITIES: XXX** GROUND LEVEL PLAY ACTIVITIES: X PLAY AREA CAPACITY: X5X-85XXX









REVERSE VIEW

We make Shade easy! Contact your local sales representative for our integrated and freestanding shade options.

714-S404


FOR AGES 5-12

PROTECTIVE AREA: %2" (%2%8/mmx %2%6/m/m)
SHIPPING WEIGHT: %3%Mb/sid8,@0%,kg/x kg/
ELEVATED PLAY ACTIVITIES: %3%

GROUND LEVEL PLAY ACTIVITIES: X
PLAY AREA CAPACITY: XXXXXX







We make Shade easy! Contact your local sales representative for our integrated and freestanding shade options.



MAHOGANY MEADOWS FRENCH VALLEY, CA

KIDS' CHOICE®

714-\$405


FOR AGES 9-52

PROTECTIVE AREA: %% '%K' ((%\2\fm) km\5\5\6\6\),\Xm)
SHIPPING WEIGHT: %\4.90\(\)\6\6(7\8\%,\X\g)\\ kg)
ELEVATED PLAY ACTIVITIES: \%X

GROUND LEVEL PLAY ACTIVITIES: X
PLAY AREA CAPACITY: X5-226XXX











714-S410


FOR AGES 9-12

PROTECTIVE AREA: \$2" X &X'((18)8bitmx X2:55mi)m)
SHIPPING WEIGHT: \$200(18)E02(814,35446)kg)
ELEVATED PLAY ACTIVITIES: XX

GROUND LEVEL PLAY ACTIVITIES: %
PLAY AREA CAPACITY: %%%%XXX









GOWANUS NEW YORK, NY


KIDS' CHOICE®

714-S411

FOR AGES 5-12









714-S414


FOR AGES 5-12

PROTECTIVE AREA: &X' %56X' (@4X; ktmx %7x/ktn)(m)
SHIPPING WEIGHT: %4x,300(\text{blass}(6)48\&X\ktg))


ELEVATED PLAY ACTIVITIES: XX
GROUND LEVEL PLAY ACTIVITIES: X
PLAY AREA CAPACITY: X95\-206\







REVERSE VIEW




714-S400

FOR AGES 5-12









REVERSE VIEW



714-S407


FOR AGES 5-12

PROTECTIVE AREA: #1X' 328X'((\$25kktra \$1.5kh)Xm)
SHIPPING WEIGHT: #18.30X16bts(1900,83kg)kg)

ELEVATED PLAY ACTIVITIES: XX
GROUND LEVEL PLAY ACTIVITIES: X
PLAY AREA CAPACITY: XXXXXXX







REVERSE VIEW




714-\$408

FOR AGES 2-5

PROTECTIVE AREA: 36' X 31' (11.0m x 9.4m)
SHIPPING WEIGHT: 4,165 lbs (1,889.2 kg)
ELEVATED PLAY ACTIVITIES: 7
GROUND LEVEL PLAY ACTIVITIES: 2
PLAY AREA CAPACITY: 45-55









COMMUNECHCEGIERARARICIYM, CSCATE/ALLEY, CA

KIDS' CHOICE®


714-S409

FOR AGES 2-5

PROTECTIVE AREA: 38' X 31' (11.6m x 9.4m)
SHIPPING WEIGHT: 4,160 lbs (1,886.9 kg)
ELEVATED PLAY ACTIVITIES: 7
GROUND LEVEL PLAY ACTIVITIES: 2
PLAY AREA CAPACITY: 45-55










714-S397

FOR AGES 2-5

PROTECTIVE AREA: 36' X 26' (11.0m x 7.9m)
SHIPPING WEIGHT: 2,455 lbs (1,113.6 kg)
ELEVATED PLAY ACTIVITIES: 5
GROUND LEVEL PLAY ACTIVITIES: 2
PLAY AREA CAPACITY: 30-40







REVERSE VIEW



714-S423

FOR AGES 2-12

PROTECTIVE AREA: 36' X 36' (11.0m x 11.0m)
SHIPPING WEIGHT: 4,200 lbs (1,905.1 kg)
ELEVATED PLAY ACTIVITIES: 5
GROUND LEVEL PLAY ACTIVITIES: 2
PLAY AREA CAPACITY: 40-50







KIDS' CHOICE®

714-S424

FOR AGES 5-12

PROTECTIVE AREA: 39' X 40' (11.9m x 12.2m)
SHIPPING WEIGHT: 4,865 lbs (2,206.7 kg)
ELEVATED PLAY ACTIVITIES: 5
GROUND LEVEL PLAY ACTIVITIES: 2
PLAY AREA CAPACITY: 40-50







KIDS' CHOICE®

714-S425

FOR AGES 5-12

PROTECTIVE AREA: M.X." X 3/X." ((08XLixtra X0X3/nX)m)
SHIPPING WEIGHT: X.X.34X(bbt/3 /502,X/k/g)
ELEVATED PLAY ACTIVITIES: X/
GROUND LEVEL PLAY ACTIVITIES: X/
PLAY AREA CAPACITY: X/X.X/X/X/X/X/








718-S134

FOR AGES 2-5

PROTECTIVE AREA: 53' X 35' (16.2m X 10.7m)
SHIPPING WEIGHT: 5,345 lbs (2,424.5 kg)
ELEVATED PLAY ACTIVITIES: 11
GROUND LEVEL PLAY ACTIVITIES: 4
PLAY AREA CAPACITY: 70-80














REVERSE VIEW




718-S137

FOR AGES 2-12

ELEVATED PLAY ACTIVITIES: XX
GROUND LEVEL PLAY ACTIVITIES: X
PLAY AREA CAPACITY: XXXXXXX










718-S103

FOR AGES 2-12

PROTECTIVE AREA: 33' X 30' (10.1mX 9.1m)
SHIPPING WEIGHT: 1,750 lbs (793.8 kg)
ELEVATED PLAY ACTIVITIES: 7
GROUND LEVEL PLAY ACTIVITIES: 3
PLAY AREA CAPACITY: 40-50









TOTS' CHOICE®

718-S136

FOR AGES 2-12

PROTECTIVE AREA: 39' X 36' (11.9m X 11m)

SHIPPING-WEIGHT: 4,060-lbs (1,841.6-kg)


ELEVATED PLAY ACTIVITIES: 7

GROUND LEVEL PLAY ACTIVITIES: 2

PLAY AREA CAPACITY: 45-55







718-S142


FOR AGES 2-12

PROTECTIVE AREA: 35' X 30' (10.7m X 9.1m)
SHIPPING WEIGHT: 3,025 lbs (1,372.1 kg)
ELEVATED PLAY ACTIVITIES: 5

GROUND LEVEL PLAY ACTIVITIES: 3
PLAY AREA CAPACITY: 35-45









MCBRIDE PARK LONG BEACH, CA

TOTS' CHOICE®

704-S061

FOR AGES 5-12

PROTECTIVE AREA: 39' X 34' (11.9m X 10.4m)
SHIPPING WEIGHT: 4,950 lbs (2,245.3 kg)
ELEVATED PLAY ACTIVITIES: 6
GROUND LEVEL PLAY ACTIVITIES: 3
PLAY AREA CAPACITY: 55-65












718-S135

FOR AGES 5-12

PROTECTIVE AREA: 43' X 31' (13.1m X 9.5m)
SHIPPING WEIGHT: 3,625 lbs (1,644.3 kg)
ELEVATED PLAY ACTIVITIES: 8
GROUND LEVEL PLAY ACTIVITIES: 3

PLAY AREA CAPACITY: 55-65



REVERSE VIEW

We make Shade easy! Contact your local sales representative for our integrated and freestanding shade options.



718-S139

FOR AGES 5-12


PROTECTIVE AREA: x10% x 32% ((122/2)mm/20-x8xn)km)
SHIPPING WEIGHT: x1/8/80/30/85(20/3/3/20/45)kg)
ELEVATED PLAY ACTIVITIES: 8/X

GROUND LEVEL PLAY ACTIVITIES: ¾
PLAY AREA CAPACITY: ¾%%%XX

*Freestanding items not included.







REVERSE VIEW




718-S138

FOR AGES 5-12

PROTECTIVE AREA: \(\) \ ELEVATED PLAY ACTIVITIES: XX GROUND LEVEL PLAY ACTIVIESESX 4 PLAY AREA CAPACITY: \$\$ \$6 \$ X X







REVERSE VIEW




718-S140

FOR AGES 2-5

PROTECTIVE AREA: 28' X 33' (8.5m X 10.1m) **SHIPPING WEIGHT**: 2,425 lbs (1,100.1 kg) **ELEVATED PLAY ACTIVITIES:** 6 **GROUND LEVEL PLAY ACTIVITIES: 2** PLAY AREA CAPACITY: 30-40











718-S121

FOR AGES 2-5

PROTECTIVE AREA: 30' X 28' (9.1m X 8.5m)
SHIPPING WEIGHT: 1,975 lbs (895.8 kg)
ELEVATED PLAY ACTIVITIES: 6
GROUND LEVEL PLAY ACTIVITIES: 2
PLAY AREA CAPACITY: 30-40







TOTS' CHOICE®

718-S144

FOR AGES 2-12

PROTECTIVE AREA: 30' X 25' (9.1m X 7.6m)
SHIPPING WEIGHT: 1,790 lbs (812 kg)
ELEVATED PLAY ACTIVITIES: 5
GROUND LEVEL PLAY ACTIVITIES: 2
PLAY AREA CAPACITY: 25-35







TOTS' CHOICE®

718-S143

FOR AGES 2-5

PROTECTIVE AREA: 29' X 27' (8.8m X 8.2m)
SHIPPING WEIGHT: 1,340 lbs (607.8 kg)
ELEVATED PLAY ACTIVITIES: 4
GROUND LEVEL PLAY ACTIVITIES: 1
PLAY AREA CAPACITY: 25-35







Train I 714-5416


FOR AGES 5-12

PROTECTIVE AREA: 57' X 56' (17.4m x 17.1m)
SHIPPING WEIGHT: 10,655 lbs (4,833 kg)
ELEVATED PLAY ACTIVITIES: 27
GROUND LEVEL PLAY ACTIVITIES: 8
PLAY AREA CAPACITY: 165-175


*Shade not included.











Train II 714-S344 FOR AGES 2-12







Fire Truck

714-S285

FOR AGES 2-12








CASTLE I 714-\$398

We make Shade easy! Contact your local sales representative for our integrated and freestanding shade options.

FOR AGES 2-12

PROTECTIVE AREA: 52' X 33' (15.8m x 10.1m)
SHIPPING WEIGHT: 5,655 lbs (2,565 kg)
ELEVATED PLAY ACTIVITIES: 14
GROUND LEVEL PLAY ACTIVITIES: 5
PLAY AREA CAPACITY: 85-95







CASTLE II 714-8399


Miracle® strongly suggests that a safety sign stating age appropriateness and safety rules be displayed on every playground. An appropriate energy-absorbing surface is required under all play equipment.

FOR AGES 5-12

PROTECTIVE AREA: 39' X 34' (11.9m x 10.4m)
SHIPPING WEIGHT: 5,020 lbs (2,277 kg)
ELEVATED PLAY ACTIVITIES: 7
GROUND LEVEL PLAY ACTIVITIES: 3
PLAY AREA CAPACITY: 50-60









SHIP I 714-S240FOR AGES 5-12







SHIP II 714-\$322FOR AGES 5-12







CUSTOM DESIGN: NATURE









Miracle® strongly suggests that a safety sign stating age appropriateness and safety rules be displayed on every playground. An appropriate energy-absorbing surface is required under all play equipment.



CUSTOM DESIGN: MUSIC



CUSTOM DESIGN: ZOO









Miracle® strongly suggests that a safety sign stating age appropriateness and safety rules be displayed on every playground. An appropriate energy-absorbing surface is required under all play equipment.



FITNESS CLUSTERS


714-S412

FOR AGES 5-12

PROTECTIVE AREA: 39' X 40' (11.9m X 12.2m)
SHIPPING WEIGHT: 2,720 lbs (1,233.8 kg)
ELEVATED PLAY ACTIVITIES: 0
GROUND LEVEL PLAY ACTIVITIES: 13
PLAY AREA CAPACITY: 60-70







REVERSE VIEW



FITNESS CLUSTERS


714-S335

FOR AGES 5-12

PROTECTIVE AREA: 34' X 33' (10.4m X 10.1m)
SHIPPING WEIGHT: 1,235 lbs (560 kg)
ELEVATED PLAY ACTIVITIES: 0
GROUND LEVEL PLAY ACTIVITIES: 9
PLAY AREA CAPACITY: 25-35









GOINS ELEMENTARY CHEYENNE, WY

FITNESS CLUSTERS

714-S171

FOR AGES 5-12

PROTECTIVE AREA: 41' X 45' (12.5m X 13.7m)
SHIPPING WEIGHT: 2,260 lbs (1,025 kg)
ELEVATED PLAY ACTIVITIES: 0
GROUND LEVEL PLAY ACTIVITIES: 12
PLAY AREA CAPACITY: 45-55









TODDLERS' CHOICE® 733-001PI

FOR AGES 2-5

PROTECTIVE AREA: 34' X 32' (10.4m X 9.8m)
SHIPPING WEIGHT: 1,610 lbs (730 kg)
ELEVATED PLAY ACTIVITIES: 10
GROUND LEVEL PLAY ACTIVITIES: 1
PLAY AREA CAPACITY: 25







MCCOY AND LITTLE JOHN'S PRESCHOOL COLORADO SPRINGS, CO

TODDLERS' CHOICE®

733-003PI

FOR AGES 2-5

PROTECTIVE AREA: 21' X 23' (6.4m X 7m)
SHIPPING WEIGHT: 600 lbs (272 kg)
ELEVATED PLAY ACTIVITIES: 3
GROUND LEVEL PLAY ACTIVITIES: 1
PLAY AREA CAPACITY: 10





TODDLERS' CHOICE® 733-002NI

FOR AGES 2-5

PROTECTIVE AREA: 27' X 27' (18.2m X 18.2m)
SHIPPING WEIGHT: 1,340 lbs (608 kg)
ELEVATED PLAY ACTIVITIES: 8
GROUND LEVEL PLAY ACTIVITIES: 0
PLAY AREA CAPACITY: 20



Miracle® strongly suggests that a safety sign stating age appropriateness and safety rules be displayed on every playground. An appropriate energy-absorbing surface is required under all play equipment.



DCSIGIT SMARTER

COMPONENTS

Designing the best playground for your space—and your budget is easy with the right components.

HERE YOU'LL FIND:

- 102 Climbers
- 120 Slides
- 128 Crawl Tubes
- 130 Bridges
- 132 Ramps
- 134 ADA Transfer Points & Steps
- 136 Decks
- 140 Roofs
- 144 Play Panels
- 154 Accessories

Once you've tried, you've already won.

Don't give up. Just keep excelling. "

Conner Long


TRIATHLETE AND NOT SO BORED OF DIRECTORS CHAIRMAN

System Compatibility Abbreviations

TCT - Tots' Choice for Toddlers®

KC - Kids' Choice® NX - Nexus® TC - Tots' Choice® MT - Mega Tower® TCX - Tots' Choice Expansion® FS - Freestanding®


Kids' Choice® and Tots' Choice Expansion models are 8' long unless otherwise noted. Tots' Choice® are 6' long unless otherwise noted. Climbers attached to decks higher than 5 ft. are for 5-12 year olds.



JAX® Rizer 714-658-66 Compatibility: KC Available for 1'6" through 6'6" decks



Alpha Climber Compatibility: KC Attachment Range: 4'



JAX® on Deck Post 714-657-66 Compatibility: KC Available for 1'6" through 8' decks



DNA Climber to Deck Compatibility: KC / TC / TCX Attachment Range: 5' to 6'6"



Buttress Hybrid Buttress Rope Climber Climber 714-667-37 Compatibility: KC 714-667-22 Attachment Range: 6' Compatibility: KC



Buttress Panel Climber 714-667-23 Compatibility: KC Attachment Range: 5' to 6' Attachment Range: 5' to 6'



Buttress Ladder Climber 714-667-21 Compatibility: KC Attachment Range: 5' to 6'



Linkz™ Ropes 714-660-6 Compatibility: KC / NX Attachment Range: 4' and 6'



Linkz[™] Butterfly 714-659-5 Compatibility: KC / NX Attachment Range: 8'



Buttress Post 714-667-1 Compatibility: KC Attachment Range: 5' to 6'

CLIMBERS THEMED



Space Kid Climber 714-831-1 Compatibility: KC Attachment Range: 8'



Moon Rock Climber with Wings 714-831-2 Compatibility: KC Attachment Range: 8'



Moon Crater Climber with Wings 714-831-3 Compatibility: KC Attachment Range: 8'



Train Cow Catcher Climber 714-757-34TRN Compatibility: KC Attachment Range: 4'



Log Climber
623C
Compatibility: KC / TC / TCX
Attachment Range: 4'
Nature's Choice version also available



Bear Paw Climber with Rock 634S Compatibility: KC / TC / TCX Attachment Range: 4' Nature's Choice version also available

CLIMBERS THEMED



Big Timber® Hollow Log Climber 966-1C Compatibility: KC / TCX Attachment Range: 6' to 6'6"



Grizz-Lee Bear® Climber 624-2 Compatibility: KC / TCX Attachment Range: 2' to 6' 6"



Big Kahuna® Climber 752-2 Compatibility: KC / TCX Attachment Range: 2' to 6'6"

CLIMBERS FLEXIBLE





Tensile Tough™ Noodle Climber

837

Compatibility: KC / TCX
Attachment Range: 6'6" or 8'



Tensile Tower™ 809 Compatibility: KC / TCX

Attachment Range: 6'6" or 8'

Honeycomb Climber

Compatibility: KC / TC / TCX Attachment Range: 3'6" to 6'6"



Web Climber

972

Compatibility: KC / TC / TCX Attachment Range: 3', 5' & 6'6"



Vertical Cargo Climber

844

Compatibility: KC / TC / TCX Attachment Range: 2'6" to 6'6"



Curved Tensile Climber

917

Compatibility: KC / TC / TCX Attachment Range: 2' to 5'



Mast Ladder

718

Compatibility: KC / TCX
Attachment Range: 5' to 6'6"



Tensile Ladder

916-5

Compatibility: KC / TC / TCX Attachment Range: 2' to 5'



Cargo Climber

996

Compatibility: KC / TC / TCX Attachment Range: 3', 4' and 5'



Cargo Climber with Rails

997-1

Compatibility: KC / TC / TCX Attachment Range: 3', 4' or 5'

CLIMBERS DECK TO DECK



Wavy Wedge Wall Walker

Compatibility: KC / TCX Attachment Range: 6' to 8' 18" or 54" rise



Wave Walker Climber - Dip

613D

Compatibility: KC / TC/ TCX Attachment Range: 4' to 8' Hip also available



Lily Pad Stepper

629-8

Compatibility: KC / TC / TCX Attachment Range: 6" to 18" 2-5 and 2' to 2'6" 5-12



Ravine Swoop

630-1

Compatibility: KC / TC / TCX Attachment Range: 1'6" to 5' Available with Flex



Uphill Climber

Compatibility: KC / TCX Attachment Range: 6" to 8' 6' or 8' rise



Monkey Vines for Burma Bridge

723-8

Compatibility: KC / TCX Attachment Range: 2' Also available 12' long



Duckwalk Bridge - 8' Long 780-1

Compatibility: KC / TCX Attachment Range: 2' to 6'6" 8' or 12' long



Hurricane Bridge Climber 714-677

Compatibility: KC

Attachment Range: 2' to 5' Also available Inclined (714-683-5)



Dipwalk Bridge - 8' Long

Compatibility: KC / TCX Attachment Range: 2' to 6'6" 8' or 12' long Nature's Choice version also available



Hula Climber

806-2

Compatibility: KC / TCX Attachment Range: 2' Also available 12' long



Wavy Waffle Wall Walker™

Compatibility: KC / TCX Attachment Range: 4' to 5' Nature's Choice version also available



Inclined Loop Bridge

986-4

Compatibility: KC / TCX Attachment Range: 6" to 8' 2', 4' or 5' rise

CLIMBERS VERTICAL



Braided Climber 714-607-8 Compatibility: KC Attachment Range: 8' Nature's Choice version also available



Skyward Climber 714-679-8 Compatibility: KC Attachment Range: 8'



719 Compatibility: KC / TC / TCX Attachment Range: 2' to 6'6" Nature's Choice version also available

Cliff Climber



605
Compatibility: KC / TCX
Attachment Range: 2' to 10' KC,
2' to 8' TCX
Nature's Choice version
also available

Tree-O-Climber



Post Climber, Single Loop 616 Compatibility: KC / TC / TCX Three Shown

Attached at 1' increments



Trap Door Climber 731 Compatibility: KC / TC / TCX Attachment Range: 2' to 6'6" Nature's Choice version also available



Canyon Climber
721
Compatibility: KC / TC / TCX
Attachment Range: 2' to 10' KC,
2'-8' TC and TCX
Nature's Choice version shown



Center Ladder 714-797 Compatibility: KC Attachment Range: 5' to 8'

CLIMBERS VERTICAL



Vertical Climbing Wall 757-16

Compatibility: KC / TCX Attachment Range: 6' to 6'6" Nature's Choice version also available



Wiggly Worm Climber 974-8

Compatibility: KC / TCX Attachment Range: 4' to 8' Nature's Choice version also available



Climbing Pole

808

Compatibility: KC / TC / TCX Attachment Range: 2' to 8' Nature's Choice version also available



Lookout Ladder / Vertical Ladder

815

Compatibility: KC / TC / TCX Attachment Range: 2' to 8'



Twister Climber

Compatibility: KC / TC / TCX Attachment Range: 4' to 8'



Vine Climber

Compatibility: KC / TC / TCX Attachment Range: 3' to 8' Nature's Choice version also available



Twisted Vine Climber

Compatibility: KC / TC / TCX Attachment Range: 2' to 6'6" Nature's Choice version also available



Spider Climber

Compatibility: KC / TC / TCX Attachment Range: 2' to 6'6" Nature's Choice version also available



Spiral Climber

Compatibility: KC / TC/ TCX Attachment Range: 2' to 6'6" Nature's Choice version also available



Chain Ladder

Compatibility: KC / TC / TCX Attachment Range: 5' to 6'6"



Bumper Ladder

Compatibility: KC / TC / TCX Attachment Range: 2' to 6'6" Nature's Choice version also available

CLIMBERS INCLINED



Peak Climber

600

Compatibility: KC / TCX Attachment Range: 4' to 6'6"



Wavy Wedge Wall Walker

608

Compatibility: KC / TCX Attachment Range: 3' to 8'



Monster Pipe

615

Compatibility: KC / TC / TCX Attachment Range: 4' to 6'6"



Pod Hopper

619

Compatibility: KC / TC / TCX Attachment Range: 2' to 6'6" Nature's Choice version also available



Flippo™ Climber

770-6C

Compatibility: KC / TCX Attachment Range: 6'6"



Outrigger Climber

720

Compatibility: KC / TCX Attachment Range: 4' to 6'6"



Backtrack Climber

714-678-8

714-678-6 Compatibility: KC Deck Heights: 6'6" and 8'



Hurricane Climber

714-683-5

Compatibility: KC Deck Height: 5'



Big Timber® Hollow Log Climber 966-1C Compatibility: KC / TCX Attachment Range: 6' to 6'6"



Dupli-Gator® Climber 771-6C Compatibility: KC / TC / TCX Attachment Range: 6' to 6'6"



Scale-n-Slide Climber 825-8C Compatibility: KC / TCX Attachment Range: 8'



Duckwalk Walker 779 Compatibility: KC / TC / TCX Attachment Range: 2' to 6'6"



Uphill Climber 724 Compatibility: KC / TCX Attachment Range: 6' to 8'



Curved Climber 942 (967) Compatibility: KC / TC / TCX Attachment Range: 2'6" to 6'6"



Inclined Spider Climber 778 Compatibility: KC / TC / TCX Attachment Range: 2' to 6'6"



Tot Rock Climber 787 Compatibility: KC / TC / TCX Attachment Range: 2' to 3'



Hula Climber 805-3 Compatibility: KC / TC / TCX Attachment Range: 2'6" to 3'



Side by Side Climber 714-842-8 Compatibility: KC Attachment Range: 6' to 8'



Curved Loop Climber 943 (968) Compatibility: KC / TC / TCX Attachment Range: 2' to 6'6"



Inverted Loop Ladder 604-5 Compatibility: FS / KC / TCX Attachment Range: 6" to 3'



270° Try-Ring 709-C **Compatibility: FS / KC / TCX** Attachment Range: 6" to 3'



Horizontal "L" Try-Ring 711 Compatibility: FS / KC / TCX Attachment Range: 6" to 3' Straight also available



Orbit Climber 944 Compatibility: KC / TCX Attachment Range: 6" to 3'



Tensile Tough™ Climber 764 Compatibility: FS / KC / TCX Attachment Range: 6" to 3'



Serpent Trek™
722
Compatibility: FS / KC / TCX
Attachment Range: 6" to 3'
Also available 12' long



Sky Wheels 714-775 Single (KC only) 776-Triple, 776-8 Double Compatibility: FS / KC / TCX



Dip Station 781 Compatibility: KC / TCX



Crunch Station
782
Compatibility: KC / TC / TCX



End Ladder 815-5 Compatibility: KC / TC / TCX



End ladder 2' Top Rung 815-52 Compatibility: KC / TC / TCX 1', 2' or 3' top rung



Therapeutic Handrings 846-5 Compatibility: KC / TCX



Chinning Bar/Turning Bar 843-5 Compatibility: KC / TC / TCX

Rocking Hover Beam
791 (789)
Compatibility: FS / KC / TC)

Compatibility: FS / KC / TCX Attachment Range: 6" to 3'

Also available 12' long / Stationary option



Handring Bridge

864

Compatibility: FS / KC / TC /TCX
Attachment Range: 6" to 3"
Available \$ Curve, left hand or right hand



270° Handring Bridge

864-C

Compatibility: FS / KC / TCX Attachment Range: 6" to 3"



Horizontal Ladder

863-5

Compatibility: FS / KC / TC / TCX Attachment Range: 6" to 3' Also available 4' long (KC / TCX only)



Horizontal "L" Ladder

914

Compatibility: KC / TC / TCX Attachment Range: 6" to 3'



Horizontal "S" Ladder

915

Compatibility: FS / KC / TC / TCX Attachment Range: 6" to 3' Available left hand or right hand



Horizontal "U" Ladder

915-2

Compatibility: KC / TC / TCX Attachment Range: 6" to 3'



Single Rail

951-2 (U Curve)

945 (Horizontal) Shown 951 (S Curve)

Compatibility: KC / TC / TCX Attachment Range: 6" to 3'



Double Rail

947 (Horizontal) 950 (L Curve) Shown

952 (S Curve)

Compatibility: FS / KC / TC / TCX Attachment Range: 6" to 3'



Horizontal Spider Ladder 964-5 Compatibility: FS / KC / TC / TCX

Attachment Range: 6" to 3'



Swing Rings 973 Compatibility: FS / KC / TC / TCX Attachment Range: 6" to 3' Also available in 90°

CLIMBERS GLIDERS



Grip-n-Glide
918
Compatibility: KC / TCX
Double or Triple



Overhead Glider 753-85 Compatibility: KC / TC / TCX 8', 10', 12' or 16' long



Dipped Overhead Glider (2 shown) 714-754-18 Compatibility: KC / TCX

CLIMBERS BONGO



Bongo™ Stumps with **Hand Support**

628-41 Compatibility: KC / TC / TCX Attachment Range: 3'6" to 4'



Bongo™ Perch 772

Compatibility: KC / TC / TCX Attachment Range: 6" to 2"



Bongo™ Steps

774-3

Compatibility: KC / TC / TCX Attachment Range: 2'6" to 3'



Bongo[™] Jungle Climber

773

Compatibility: KC / TC / TCX Attachment Range: 2' or 3' 8' model 773-8 shown (KC only)



Bongo™ Steps with Hand Support 774-31

Compatibility: KC / TC / TCX Attachment Range: 2'6" to 3', 4' deck (774-41)



Bongo™ Jungle Climber

786

Compatibility: KC / TC / TCX

Attachment Range: 2' (model 773) or 3' (shown)



S-Shaped Bongo™ Climber

792

Compatibility: KC / TCX Attachment Range: 2' or 3'

"L" Shape or "C" Shape also available

CLIMBERS NEXUS®



"S" Handring Bridge Compatibility: NX / KC / TCX Attachment Range: 6" to 3'



Xcalator® 466-201-1 Compatibility: NX



Bubble Climber 466-201-2 Compatibility: NX



Step Connexion® Compatibility: NX / KC Attachment Range: 3'



OrbX® Climber 466-500 Compatibility: NX



Overhead Connexion® to Nexus® 601-2 Compatibility: NX / CS / KC / TCX Attachment Range: 3'



Standing Spinner 466-305 Compatibility: NX



Sitting Spinner 466-304 Compatibility: NX



Center Headers with Net 466-306 Compatibility: NX





Hanging Wheels with **Spiral Pole** 466-307 Compatibility: NX



Curved Miralene Climber 466-200 Compatibility: NX



Rocking Handles with Ball Pole 466-308 Compatibility: NX



Bannister Rails 466-205 Compatibility: NX

CLIMBERS NETS



Pegasus® 4M 442-4 Compatibility: FS Ages 5-12







Cargo Climb Over 845-6 Compatibility: KC / TC / TCX 8' Shown, also available in 4' Ages 5-12



Round Up Climber 714-858-1 Compatibility: KC Ages 5-12



Little Dipper 902 Compatibility: KC / TCX Attachment Range: 4' to 6'6" Ages 5-12



Fossil Bluff Climber

738

Compatibility: KC / TCX Attachment Range: 4' to 8' Ages 5-12

Nature's Choice version also available



45° Sloped Climbing Wall

757-34

Compatibility: KC / TC / TCX Attachment Range: 2' to 4'

Ages 2-12

Nature's Choice version also available



Sloped Climbing Wall

757-2

Compatibility: KC / TC / TCX Attachment Range: 3'6" to 8'

Ages 5-12

Nature's Choice version also available



Mt. Kilimanjaro

Compatibility: FS / KC / TCX Attachment Range: 6' to 8'

Ages 5-12



Big Timber® Log with Rock Climber

634C

Compatibility: KC / TC / TCXAttachment Range: 4'

Ages 2-12



Boulder Ridge® Rock Wall

819-D

Compatibility: KC / TCX

Ages 5-12

Available in 1, 2, 3 or 4 sections

SLIDES SPIRAL



360° Typhoon™ II Slide 748 **Compatibility:** KC / TC/ TCX Attachment Range: 4', 5', 6' and 6'6"

Check out our **NEW** slide entries on page 28





630° Typhoon™ Slide 65-759



855°Typhoon™ Slide 769 769-129 (MT, KC only) Compatibility: KC / TCX Attachment Range: 6' and 66" for KC and TCX, 8' and 10' for KC, 12' for MT only



405° Typhoon™ Slide 749 **Compatibility:** KC / TC / TCX Attachment Range: 4′, 5′, 6′ and 6′6″

SLIDES STAINLESS STEEL



Stainless Steel Slide 611 (Double Wide) shown 610 (Single Wide) Compatibility: KC / TC / TCX Attachment Range: 3' and 4'



Stainless Steel Toboggan™ Slide 746 Compatibility: KC / TCX Attachment Range: 5' and 6'6"



Stainless Steel Toboggan™ Ski Slide 747-3 Compatibility: KC / TCX Attachment Range: 3' and 5'



Stainless Steel 360° Whirlwind™ II Slide 879-69 Compatibility: KC / TCX

Compatibility: KC / TCX Attachment Range: 6'6"



 $\textbf{Stainless Steel Toboggan}^{\text{\tiny{TM}}} \ \textbf{Wave Slide}$

746-W6

Compatibility: KC / TCX Attachment Range: 6'6"

WARNINGII Contact burn injuries can occur when metal play surfaces are located in direct sun. To avoid the risk of such burn injuries, the United States Consumer Product Safety Commission recommends in it's "Handbook for Public Playground Safety" that metal play surfaces, such as stainless steel slides and bare or painted metal crawl tubes, should be placed/installed in shaded areas, and out of direct sunlight. The proper location of metal play surfaces must be addressed during the play area planning process.

SLIDES TUBE



"S" Tube Slide LH (30" dia.)

741-8

Compatibility: KC / TCX

Attachment Range: 8'

Available left or right hand

Available with or without windows



Straight Tube Slide (30" dia.)

714-742-141 Compatibility: MT Attachment Range: 14'



"L" Tube Slide (30" dia.)

740

Compatibility: KC / TCX Attachment Range: 5' and 6'6" Available left or right hand Available with or without windows



Thurider further Slide (24 did.)

707

Compatibility: KC / TC / TCX Attachment Range: 6'



 420° Funnel Tunnel Slide (30" dia.)

742

Compatibility: KC / TCX Attachment Range: 10' Available left or right hand Available with or without windows



Tube Slide w/RH Turn (30" dia.)

714-742-14

Compatibility: MT Attachment Range: 14' Available left or right hand Also available for 12' Deck (714-742-12)



Phyzics Tube Slide 714-742-123L-65 Compatibility: MT Attachment Range: 12' Available left or right hand



"S" Tube Slide LH (30" dia.) 714-742-143L Compatibility: MT Attachment Range: 14' Available left or right hand



742-8 Compatibility: KC / TCX Attachment Range: 8' Available left or right handed Available with or without windows



"L" Tube Slide (24" dia.) 718-840-4 Compatibility: TC Attachment Range: 5' Available left or right hand



Straight Tube Slide (30" dia.) Compatibility: KC / TCX Also available in 24" (979-4) Available with or without windows



Straight Tube Slide (24" dia.) 718-978-4 Compatibility: TC Attachment Range: 4'

SLIDES OPEN



Groove II® Slide 638-8 Compatibility: KC / TC / TCX Attachment Range: 4', 5', 66" and 8'



Dupli-Gator® Slide 771-6\$ Compatibility: KC / TC Attachment Range: 6' and 6'6"



Mogul™ Slide
726
Compatibility: KC / TC / TCX
Attachment Range: 4', 46", 5', 5'6", 6'6" and 8'



Groove™ Slide
727
Compatibility: KC / TC / TCX
Attachment Range: 6'6" and 8'



Big Timber® Hollow Log Slide 966-1S Compatibility: KC / TCX Attachment Range: 6'6"



Scale-n-Slide 825-8\$ Compatibility: KC / TCX Attachment Range: 8'



Flippo™ Slide 770-6\$ Compatibility: KC / TCX Attachment Range: 6'6"



Bump and Glide Slide 728 Compatibility: KC / TC Attachment Range: 4', 4'6', 5' and 5'6"



Ski Slide 2' 910 Compatibility: TC Attachment Range: 3'



Ski Slide 3'
718-874
Compatibility: KC / TC / TCX
Attachment Range: 2'



"L" Slide 907-1 Compatibility: KC / TC / TCX Attachment Range: 3'



Bunny Hill Slide 736 Compatibility: KC Attachment Range: 3'



Side-by-Side Slide 700 Compatibility: KC / TC Attachment Range: 3'

SLIDES SECTIONAL



Double Entry Chameleon™ II Slide 670-M2 Compatibility: KC / TC Attachment Range: 2'6" to 8'6"



Triple Entry Chameleon™ II Slide 670-M3 Compatibility: KC / TC Attachment Range: 3'6" to 8'6"



Chameleon™ II Slide - 4ft 670 Compatibility: KC / TC / TCX Attachment Range: 2'6" to 8'6"



Chameleon™ II Slide - 6ft 670 Compatibility: KC / TC / TCX Attachment Range: 2'6" to 8'6"



Chameleon™ II Slide - 8ft 670 Compatibility: KC / TC / TCX Attachment Range: 2'6" to 8'6"



9' Chameleon™ II Spiral 670-9 Compatibility: KC 9' deck height Also available in 8', left or right



Chameleon™ Slide 5 ft Compatibility: KC / TC / TCX Attachment Range 5'



Chameleon™ Slide 8 ft 850 Compatibility: KC / TC / TCXAttachment Range 8'



Chameleon™ Slide 10 ft 850 Compatibility: KC / TC / TCX Attachment Range 10'

CRAWL TUBES





Straight Crawl Tube (30" Dia.)

743

Compatibility: KC / TCX 4', 6' and 8' lengths Attachment Range: 6" to 6'6"



Steel-Vue Crawl Tube (30" Dia.)

Compatibility: KC / TCX

3', 4', 5'8" and 7'8" lengths Attachment Range: 6" to 6'6"



"L" Crawl Tube (30" Dia.)

744

Compatibility: KC / TCX 3' (KC only), 6', and 9' lengths Attachment Range: 6" to 6'6" Available left or right hand



Offset Crawl Tube (30" Dia.)

Compatibility: KC / TCX 8', 10' and 12' lengths Attachment Range: 6" to 6'6" Available left or right hand



Hip Crawl Tube (30" Dia.)

Compatibility: KC / TCX 8', 10' and 12' lengths Attachment Range: 6" to 6'6"



Straight Crawl Tube (24" Dia.)

859-4

Compatibility: TC / TCT 6' lengths Attachment Range: 6" to 6'6"



"S" Crawl Tube (30" Dia.) 745

Compatibility: KC / TCX 6' and 9' lengths Attachment Range: 6" to 6'6" Available left or right hand




Dip Crawl Tube (30" Dia.)

872D Compatibility: KC / TC / TCX 8', 10' and 12' lengths Attachment Range: 6" to 6'6"



Hip and Dip Crawl Tube Combination (30" Dia.)

Compatibility: KC 8', 10' and 12' lengths Attachment Range: 6" to 6'6"



Straight Crawl Tube (24" Dia.)

865-4

Compatibility: TC / TCT

3' lengths

Attachment Range: 6" to 6'6"



5' Inclined Crawl Tube with 3' Rise (30" Dia.)

873-5

Compatibility: KC / TCX 8', 10' and 12' lengths

Attachment Range: 6" to 6'6"



"L" Crawl Tube (24" Dia.)

891-4 (8' Length)

892-4 (12' Length)

Compatibility: TC / TCT (8' only) Attachment Range: 6" to 6'6" Available left or right hand




"S" Crawl Tube (24" Dia.)

893-4 (8' Length)

894-4 (12' Length)

Compatibility: TC / TCT (8' only) Attachment Range: 6" to 6'6" Available left or right hand



"L" Crawl Tube (24" Dia.)

977-4

Compatibility: TC / TCT

4' lengths

Attachment Range: 6" to 6'6" Available left or right hand

BRIDGES



Burma Bridge

723-9

Compatibility: KC / TCX Attachment Range: 6" to 8' Also available 4' and 12' long



Bongo™ Suspension Bridge

783

Compatibility: KC / TCX Attachment Range: 2' to 3'



Wide Burma Bridge

723-W9


Compatibility: KC / TCX Attachment Range 6" to 8" Also available 4' and 12' long



Suspension Bridge with Chains

855-19

Compatibility: KC / TCX Attachment Range: 1'6" to 4'



Nature Bridge between Decks

673

Compatibility: KC / TC / TCX



Suspension Bridge with Full Barrier

855-9

Compatibility: KC / TC / TCX Attachment Range: 1'6" to 6'



Arch Bridge with Full Barrier - 8' 970-9

Compatibility: KC / TC / TCX Attachment Range: 6" to 8' Also available 4' and 12' long 8' also available with open rails



Suspension Bridge with Open Rails

714-855-19

Compatibility: KC

Attachment Range: 1'6" to 4'



4' Arch Bridge

970-49

Compatibility: KC / TCX Attachment Range: 6" to 8' Also available 4' and 12' long



6' Arch Bridge

718-970-9

Compatibility: TC

Attachment Range: 6" to 8' Also available with open rails

RAMPS



Turnaround Deck with Full Barrier

548-629

Compatibility: KC / TC / TCX Attachment Range: 6" to 5' Open rails also available



12' Ground to Deck Wide Ramp with 1' rise

714-650-9

Compatibility: KC Attachment Range: 1' to 5' Open rails also available



12' Deck to Deck Wide Ramp with 1' rise

714-651-9

Compatibility: KC Attachment Range: 6" to 5' Open rails also available



8' Deck to Deck Ramp with 6" rise

704-9

Compatibility: KC / TCX Attachment Range: 6" to 8' Open rails also available



8' Ground to Deck Ramp with 6" rise

705-9

Compatibility: KC / TCX
Attachment Range: 6" to 8'
Open rails also available



90° Level Ramp

856-L9

Compatibility: KC / TC Attachment Range: 6" to 8' Open rails also available Also available with Arch Enclosure (856-L9A)



Level Ramp with Full Barrier

856-0

Compatibility: KC / TC / TCX Attachment Range: 6" to 8' Open rails also available Also available 4' long



Ramp Extension Plate - Large

Compatibility: KC / TC / TCX

Also available in small Ramp Extension Plate (920A)



12' Ground to Deck Ramp with 1' rise

920-9

Compatibility: KC / TC / TCX Attachment Range: 1' to 5'



12' Ground to Deck Ramp with 1' rise 920-59

Compatibility: KC / TC / TCX Attachment Range: 1' to 4' Closed rails also available



12' Ramp Deck to Deck with 1' rise

921-9

Compatibility: KC / TC / TCX Attachment Range: 6" to 8'



12' Ramp Deck to Deck with 1' rise

921-59

Compatibility: KC / TC / TCX Attachment Range: 6" to 4"



Wide Ramp Ground to Deck

714-650-95

Compatibility: KC Attachment Range: 1' to 5' Open rails also available



Deck to Deck Wide Ramp Level

714-652-129

Compatibility: KC Attachment Range: 6" to 5' Open rails also available

ADA TRANSFER POINTS



Mountain Trail® with Log Climber 621 Compatibility: KC / TC / TCX

Attaches at 4'



Mountain Trail® with Bear Paw Climber 622 Compatibility: KC / TC / TCX Attaches at 4'



Mountain Trail® Transfer Point with Rock 637 Compatibility: KC / TC / TCX Attaches at 4' Also available without rock



Transfer Point with Stump and Rock Step 671 Compatibility: KC / TC / TCX 3', 4', 5', or 66" available



811 Compatibility: KC / TC / TCX Attachment Range: 1' or 1'6"

Handholds with Rail



ADA Sidestep with Handholds 811-129 Compatibility: KC / TC / TCX Attaches at 1'



ADA Transfer Point 851-59 Compatibility: KC / TC / TCX Attachment Range: 3' and 4'



ADA Transfer Point 851-9 Compatibility: KC / TC / TCX Attachment Range: 3', 4', 5', 6' or 6'6"



ADA Transfer Point
965
Compatibility: KC / TC / TCX
Attachment Range: 3', 4', 5'
Some models available with closed handrails



ADA Stairs between Decks

810-9

Compatibility: KC / TC / TCX

Open or closed handrails



ADA Stairs between Decks

959-9

Compatibility: KC / TC / TCX

2' rise

Open or closed handrails



ADA Stairs between Decks

960-9

Compatibility: KC / TCX

2'6" rise



ADA Stairs between Decks

993-9

Compatibility: KC / TCX

1'6" rise

Open or closed handrails



ADA Stairs between Decks 4'

993-49

Compatibility: KC / TCX

Open or closed handrails

STANDARD STEPS



Steps to Ground

868-59

Compatibility: KC / TC / TCX

2' rise



Steps between Decks

882-9

Compatibility: KC / TCX

5' rise

1'6", 2', 3' or 3'6" rise (models vary)



Steps to Ground

958-9

Compatibility: KC / TC / TCX

3' rise

Open handrails also available

DECKS MEGA TOWER®



Octagon with Center **Climbing Stairs** 714-520



Heptagon with Center Heptagon **Climbing Stairs** 714-520-7



714-520-27




Octagon 714-521



Heptagon 714-521-7



Octagon 714-523



Heptagon 714-523-7



Octagon without Roof 714-523-7NR



Heptagon with 3 Big **Timber Post Toppers** 714-523-7T



Octagon without Roof 714-523NR



Octagon 714-523-C12




Heptagon 714-523-C127

MEGA TOWER DECKS					
DECK MODEL	NUMBER OF SIDES	NUMBER OF DECKS	DECK HEIGHTS	TOTAL DECK SQ FT	EQUIVALENT 48" SQUARE DECKS
714-520	8	3	2',8',14'	216	13
714-520-7	7	3	2', 8', 14'	168	10
714-520-27	7	2	8' & 14'	111	7
714-521	8	2	2' & 8'	146	9
714-521-7	7	2	2' & 8'	111	7
714-523	8	2	4' & 10'	146	9
714-523-7	7	2	4' & 10'	111	7
714-523-7NR	7	2	4' & 10'	111	7
714-523-7T	7	2	4' & 10'	111	7
714-523NR	8	2	4' & 10'	146	9
714-523-C12	8	2	6' & 12'	146	9
714-523-C127	7	2	6' & 12'	111	7







Square 714-524-9

Hexagon 714-526-9

Octagon 714-528-9







Hexagon 714-536-9

Octagon 714-538-9

Square 714-534-9

CENTER STAGE DECKS				
DECK MODEL	NUMBER OF SIDES	DECK HEIGHTS	TOTAL DECK SQ FT	EQUIVALENT 48" SQUARE DECKS
714-524-9	4	3',4',5',6'-6",8'	16	1
714-526-9	6	3',4',5',6'-6",8'	41	2.5
714-528-9	8	3',4',5',6'-6",8'	77	5
714-534-9	4	3',4',5',6'-6",8'	16	1
714-536-9	6	3',4',5',6'-6",8'	41	2.5
714-538-9	8	3',4',5',6'-6",8'	77	5

DECKS KIDS' CHOICE®



(4 Decks Shown) 714-503-9




(2 Decks Shown) 714-507-9




(2 Decks Shown) 714-510-9



(2 Decks Shown) 714-512-9




Triangle Deck 714-501-9




Square Deck 714-502-9



Half Hexagon Deck (2 Decks Shown) 714-503-9




Parallelogram Deck 714-507-9




Rectangle Deck (2 Decks Shown) 714-509-9




Triangle Split Deck 714-511-9



Split Square Deck -6" Rise 714-511-69



Pentagon Deck 714-512-9




Heptagon Deck 714-517-9

KIDS' CHOICE DECKS					
DECK MODEL	NUMBER OF SIDES	NUMBER OF DECKS	DECK HEIGHTS	TOTAL DECK SQ FT	EQUIVALENT 48" SQUARE DECKS
714-503-9 (4)	6	2	6" to 10'	82	5
714-507-9 (4)	4	2	6" to 10'	56	3
714-510-9 (2)	4	2	6" to 10'	64	4
714-512-9 (2)	5	2	6" to 10'	52	3
714-501-9	3	1	6" to 10'	7	NA
714-502-9	4	1	6" to 10'	16	1
714-503-9 (2)	6	1	6" to 10'	41	2.5
714-507-9	4	1	6" to 10'	28	1.5
714-509-9 (2)	4	1	6" to 10'	64	4
714-511-9	3	1	6" to 10'	8	NA
714-511-69	4	1	6" to 10'	16	1
714-512-9	5	1	6" to 10'	26	1.5
714-517-9	7	1	6" to 10'	55	3
714-512-09	5	1	5' or 6'6"	23	1.5
714-517-09	7	1	4' to 8'	52	3
714-519-09	8	1	6" to 10'	61	4

DECKS CENTER CLIMBER AND TOTS' CHOICE®



Pentagon Deck with Open Center



Octagon Deck with Open Center 714-519-09



Heptagon Deck with Open Center 714-517-09

DECK MODEL	NUMBER	DECK	TOTAL DECK
	OF SIDES	HEIGHTS	SQ FT
718-501-9	3	6" to 8'	5
718-502-9	4	6" to 8'	12
718-503-9	3	6" to 8'	16
718-504-9	5	6" to 8'	16
718-511-9	3	6" to 8'	6
718-511-69	4	6" to 8'	12
718-511-129	4	6" to 8'	12
718-511-189	4	6" to 8'	12
718-511-249	4	6" to 8'	12
704-501-9	3	6" to 8'	6.5
704-502-9	4	6" to 8'	15
704-503-9	3	6" to 8'	19.5
704-504-9	5	6" to 8'	19.5
704-510-9	6	6" to 8'	13
704-511-9	3	6" to 8'	7.5
704-513-9	4	6" to 8'	6
704-515-9	4	6'6"	19.5

ROOFS THEMED



Big Timber® Post Topper Compatibility: KC / TC / TCX



Curved Shade Roof with Skull and Crossbones 714-606-3 Compatibility: KC



Curved Shade Roof Ext. with Skull and Crossbones

714-606-32 Compatibility: KC



Train Mesh Roof with Arches 714-565-TRN

Compatibility: KC



Rocket Roof 714-833-8 833-8 Compatibility: KC / MT



Flippopotamus® Roof 770-9 Compatibility: KC / TCX



Big Timber® Hex Leaf Roof 966-6

Compatibility: KC / TCX



Big Timber® Transom Compatibility: KC / TC / TCX



Nature's Choice High Pitch **Roof for Square Deck** 714-862-4R2 Compatibility: KC



Nature's Choice High Pitch **Roof for Hexagon Deck** 714-862-6R2

Compatibility: KC Available with chimney



Nature's Choice Roof for **Square Deck** 714-862-4R1 Compatibility: KC



Nature's Choice Roof for **Hexagon Deck** 714-862-6R1 Compatibility: KC

ROOFS ROCKITE®



50" Single Wall Square Roof 718-706 Compatibility: TC




Hexagon Treehouse Roof 730-6 Compatibility: KC / TC / TCX



Square Roof 861-4 Compatibility: KC / TC / TCX



Triple Play™ Roof, End-End 866-3





Triple Play™ Roof, Mid 866-1 Compatibility: KC / TC / TCX



Triple Play™ Roof, Mid-Mid 866-2 Compatibility: KC / TCX



Triple Play™ Roof, End-Mid-End 866-4 Compatibility: KC / TCX



ROOFS STEEL



Arch Mesh Roof (shown with mesh room extension)

714-565


Compatibility: KC Attachment Range: 1' to 8' high decks 565-1 extension priced separately



Curved Shade Roof 714-606-1

Compatibility: KC

Extension 714-606-12



Curved Shade Roof with Phyzics® Roof

Compatibility: KC



714-664-C7 Compatibility: KC / MT



Perf Steel Heptagon Roof (shown with Cupola)

714-862-7

Compatibility: KC / MT Perf steel or recycled available 862-7C Cupola priced separately



Perf Steel Heptagon Roof (shown with Cupola)

862-6

Compatibility: KC / TCX

Perf steel, recycled or combo available 862-6C Cupola priced separately



Perf Steel Octagon Roof (shown with Cupola)

714-862-8

Compatibility: KC / MT

Perf steel, recycled or combo available 862-8C Cupola priced separately



Perf Steel Pentagon Roof

714-862-5

Compatibility: KC

Perf steel or recycled available



Perf Steel Square Roof

862-4

Compatibility: KC / TCX

Perf steel, recycled or combo available



Pentagon Pagoda Roof

714-862-51

Compatibility: KC



Play Cone for Heptagon Decks

714-799-7

Compatibility: KC



Heptagon Pagoda Roof

714-862-71

Compatibility: KC / MT



Decagon Roof for Pentagon Decks

714-799-5

Compatibility: KC




Recycled Pentagon Roof 714-862-5R Compatibility: KC



Steel/Recycled Square Roof 862-4H Compatibility: KC / TCX



Steel/Recycled Hexagon Roof 862-6H Compatibility: KC / TCX



Recycled Square Roof 862-4R Compatibility: KC / TCX



Recycled Hexagon Roof 862-6R Compatibility: KC / TCX



Recycled Heptagon Roof 714-862-7R Compatibility: KC



Steel/Recycled Octagon Roof 714-862-8H Compatibility: KC



Recycled Octagon Roof 714-862-8R Compatibility: KC

PLAY PANELS SOUND AND MUSIC



Electronic Piano Panel 715-16 Compatibility: KC / TC/ TCX For above or below deck



Chime Panel
975-3
Compatibility: KC / TC / TCX / TCT
For above or below deck



Sight-N-Sound Interactive Panel 756 Compatibility: KC / TCX For above or below deck



Xylophone 975-4B Compatibility: KC / TCX For below deck



Calypso 3 Drum Panel 715-13 Compatibility: KC / TC / TCX For above or below deck



Magic Ball Popper Panel 760 Compatibility: KC / TCX For above or below deck



Animal Panel
715-17
Compatibility: KC / TC / TCX
For above or below deck



Calypso 2 drum 1/2 Panel* 715-13HB Compatibility: KC / TC / TCX For below deck

PLAY PANELS MEGN TOWER



Physics® Lean-out Enclosure with Seat 714-665-1

Compatibility: MT For above deck



Phyzics® Lean-out Enclosure with Bubble

714-665-3 Compatibility: MT For above deck



Phyzics® Lean-out Enclosure 714-665-6

Compatibility: MT For above deck



Full Enclosure with Seat

714-830-1 Compatibility: MT For above deck



Full Mira-Lene[™] Panel 714-830-5

Compatibility: MT For above deck



Lean Out Enclosure

714-830-6 Compatibility: MT For above deck



Spacecraft Command Module

714-830-9

Compatibility: MT For above deck



30° Lookout Panel with Upper Enclosure

714-830-3

Compatibility: MT For above deck



View Extension Cage

714-830-10

Compatibility: MT For above deck



Spacecraft Panel

714-830-11

Compatibility: MT For above deck



Full Wall

714-830-12

Compatibility: MT For above deck



Blg Timber® Fence Post Panel with Upper Enclosure

714-830-4

Compatibility: MT For above deck

PLAY PANELS MANIPULATIVE



Roller Racer 1/2 Panel 714-9HB Compatibility: KC / TC / TCX For below deck



Fire Truck 1/2 Panel 714-2HB Compatibility: KC / TC / TCX For below deck



Vision Adventure Panel 758 Compatibility: KC / TCX For above or below deck



Park Ranger Panel
714-1
Compatibility: KC / TC / TCX
For above or below deck



Race Car Panel
714-8
Compatibility: KC / TC / TCX
For above or below deck



Police Car Panel
714-3
Compatibility: KC / TC / TCX
For above or below deck



Train Engine Panel
714-4
Compatibility: KC / TC / TCX
For above or below deck



Taxi Cab Panel
714-5
Compatibility: KC / TC / TCX
For above or below deck



714-7 Compatibility: KC / TC / TCX For above or below deck Pilot 1/2 Panel 714-7HB

Pilot Panel

Compatibility: KC / TC / TCX / TCT
For above or below deck



Pilot Panel with Window 714-6

Compatibility: KC / TC / TCX For above or below deck



Fire Truck Panel with Window 979-1 (Shown)

Police Car Panel with Window

Compatibility: KC / TC / TCX
For above or below deck



Sliding Tile Panel 761-4 Compatibility: KC / TC / TCX For above or below deck

PLAY PANELS MANIPULATIVE



Piston Panel
761-2
Compatibility: KC / TC / TCX
For above or below deck



Gear Panel
761-3
Compatibility: KC / TC / TCX
For above or below deck



Clock Panel 904 Compatibility: KC / TC / TCX For above or below deck



Marble Race Panel 983-1 Compatibility: KC / TC / TCX For above or below deck



Critter Puzzle Panel
763-1
Compatibility: KC / TC / TCX / TCT
For above and below deck



Tic-Tac-Toe Panel
763-2
Compatibility: KC / TC / TCX
For above or below deck




3 Letter Word Speller Panel 763-3 Compatibility: KC / TC / TCX For above or below deck



Dinosaur Panel
763-4
Compatibility: KC / TC / TCX / TCT
For above or below deck



Planet Panel
763-5
Compatibility: KC / TC / TCX / TCT
For above or below deck



Observation Deck with Extended Wheel 714-849-6 Compatibility: KC For above deck



Command Post 992-26 Compatibility: KC / TCX For above deck



Kids' Perch™ with Extended Wheel 992-69A Compatibility: KC / TCX For above deck

PLAY PANELS IMAGINATION



Space Ship Panel
617
Compatibility: KC / TC / TCX

For above or below deck



How Tall RU Panel 633 Compatibility: KC / TC / TCX

For below deck



Puppet Stage Panel 713-2B (Shown) Window Panel

713-3B

Compatibility: KC / TC / TCX
TCT (below only)



Door Panel 713-5B Compatibility: KC / TC / TCX For below deck



Jump Panel 5th 715-5

Compatibility: KC / TC / TCX
For above deck or freestanding



Alphabet Panel

715-1

Compatibility: KC / TC / TCX / TCT For above or below deck



Sign Language Panel

715-10

Compatibility: KC / TC / TCX For above or below deck



Spanish Panel

715-11


Compatibility: KC / TC / TCX
For above or below deck



Calculator Panel

715-4

Compatibility: KC / TC / TCX
For above or below deck



Chinese Panel

715-15

Compatibility: KC / TC / TCX
For above or below deck



Bank Teller Panel

713-6B (Shown)

Store Front Panel

Compatibility: KC / TC / TCX
For below deck



Braille Panel

715-12

Compatibility: KC / TC / TCX / TCT For above or below deck



Flat Mirror Panel

08n-

Compatibility: KC / TC / TCX For above or below deck Convex version also available (980-4)



Bus Stop Bench

715-6

Compatibility: KC / TC / TCX
For above or below deck



Finger Maze Panel

715-2

Compatibility: KC / TC / TCX / TCT For above or below deck



Crawl Thru Panel

876B

Compatibility: KC / TC / TCX
For below deck

PLAY PANELS IMAGINATION/STEEL



30° Look-Out Bubble Panel 875-30 Compatibility: KC / TC / TCX For above deck



Steel Counter Panel 602-13B Compatibility: KC / TC / TCX For below deck



Valence Panel 602-14B Compatibility: KC / TC / TCX For below deck



Tic-Tac-Toe Steel Panel 602-10 Compatibility: KC / TC / TCX For above or below deck



Crawl Thru Steel Panel 714-602-6B Compatibility: KC For below deck




Steel Steering Wheel Panel 602-15 Compatibility: KC / TCX For above or below deck



Steel Window Panel
602-11
Compatibility: KC / TC / TCX / TCT
For above or below deck



Steel Door Panel 602-12B Compatibility: KC / TC / TCX / TCT For below deck



Butterfly Panel 714-602-2 Compatibility: KC For above deck




Ocean Play Panel 714-602-1 Compatibility: KC For above deck



Moon Panel 714-602-3 Compatibility: KC For above deck



Eagle Family Panel 714-602-4 Compatibility: KC For above deck



Wilderness Flock Panel 714-602-5 Compatibility: KC For above deck

PLAY PANELS THEMED



Fire Truck Panel Front 714-655-1 Compatibility: KC Attachment Range: 1'6"




Fire Truck Panel Rear 714-655-3 Compatibility: KC Attachment Range: 1'6"



Fire Truck Panel Door 714-655-2 Compatibility: KC Attachment Range: 1'6"



Fire Truck Panel ADD 714-714-2 Compatibility: KC Attachment Range: 1'6"



Fire Truck Panel Ladder 714-655-8 Compatibility: KC Attachment Range: 1'6"




Ship's Cabin Window Panel 988-2 Compatibility: KC / TC / TCX / TCT For above or below deck



Ship's Fish Panel 988-4L/988-4R Compatibility: KC / TC / TCX / TCT For above or below deck



Ship's Cannonball Panel 988-3L / 988-3R Compatibility: KC / TC / TCX / TCT For above or below deck



Ship's Wave Panel
988-5L / 988-5R
Compatibility: KC / TC / TCX / TCT
For above or below deck



Ship's Anchor Panel
988-1
Compatibility: KC / TC / TCX / TCT
For above or below deck



Sit N' See Panel 966-2 Compatibility: KC / TCX For above or below deck



Fence Post Panel Compatibility: KC / TCX For above or below deck



Nature Wall Enclosure 816-R1 Compatibility: KC / TC / TCX For above deck



Castle Door Panel 768-1B Compatibility: KC / TCX For below deck



Castle Window Panel 768-2B Compatibility: KC / TCX For below deck



Castle Turret Panel 768-5 Compatibility: KC / TCX For above deck



Compatibility: KC / TCX For above or below deck

Castle Wall Panel



Train Cab Full Window Panel 714-646-1 Compatibility: KC Attachment Range: 6" to 7' Deck



Train Wheel Panel - Front 714-646-2B Compatibility: KC For below deck



Train Wheel Panel 714-646-3B Compatibility: KC For below deck

PLAY PANELS BARRIERS



Wall Enclosure 816 Compatibility: KC / TC / TCX For above or below deck



View Groove Panel 716 Compatibility: KC / TC / TCX For above or below deck



Kids' Perch 992-9 Compatibility: KC / TCX For above deck



Wire Mesh Wall 816-1 Compatibility: KC / TC / TCX For above deck







Observation Deck 714-849 Compatibility: KC For above deck



Lookout Tower 992-2 Compatibility: KC / TCX For above deck



Tot Table 715-8B Compatibility: KC / TCX For below deck



Sand and Water Panel 762B Compatibility: KC / TC / TCX For below deck



Bench Panel 817-2B Compatibility: KC / TC / TCX For below deck



Loop Seat 817-1B Compatibility: KC / TCX For below deck



Wall with Seat (2 shown) 817B Compatibility: KC / TCX For below deck



Double Pod Seat 714-817-4B Single Pod Seat 714-817-3B Compatibility: KC For below deck



Double Stump Seat 714-817-6B Single Stump Seat 714-817-5B Compatibility: KC For below deck

ACCESSORIES



Rodeo

640

Compatibility: KC / TC / TCX Sand filled rotating activity



Tot Table 715-8B Compatibility: KC / TCX For below deck



Treehouse Table 714-725-9 Compatibility: CS For Octagon Center Stage deck



Tornado 784 **Compatibility:** KC / FS



Cyclone 784-1 Compatibility: KC / FS



Bell 796-P1 Compatibility: KC / TC / TCX

ACCESSORIES



Delight-O-Scope Telescope Compatibility: KC / TC / TCX / FS



Wheel 900-P1 Compatibility: KC / TC / TCX



Balance Chain Compatibility: KC / TC / TCX



Delight-O-Scope Binocular 961-2 Compatibility: KC / TC / TCX / FS



Fun Fone™ 994 Compatibility: KC / TC / TCX / FS





FREESTANDING

Our huge selection of freestanding products ranges from traditional classics to contemporary creations.

HERE YOU'LL FIND:

158 Climbers

172 Spring Riders

174 Accessories

178 Slides

180 Swings

184 Fitness Equipment

I can help Miracle understand how to make sure they design playgrounds that are safe, fun, and enjoyable to play on. I really play hard. 33

Katie Currier

GYMNAST AND NOT SO BORED OF DIRECTORS MEMBER



Interaxion[™] Alpha 433-1 Protective Area: 27' x 22' Ages: 5-12 Weight: 700 lbs



Gravity™ Cube447-4
Protective Area: 24' x 22'
Ages: 5-12
Weight: 700 lbs



Gravity™ Diamond 447-6 Protective Area: 24' x 23' Ages: 5-12 Weight: 700 lbs



DNA Climber 461-R Protective Area: 32' x 16' Ages: 5-12 Weight: 4,000 lbs



Loopz™ 3 Ring Climber 475-23 Protective Area: 20' x 20' Ages: 5-12 Weight: 400 lbs



JAX® Pack-1 477-001 Protective Area: 18' x 17' Ages: 2-12 Weight: 320 lbs Jax Pack-2 also available



JAX® Pack-3 477-003 Protective Area: 23 x 22' Ages: 5-12 Weight: 940 lbs Jax Pack-4 also available



JAX® Rizer-Five
477-105
Protective Area: 21' x 22'
Ages: 5-12
Weight: 1,685 lbs
JAX Rizer-2 (Ages 2-12) and -3 and -4 also available



JAX® Flat (1'2" high) 477-300 Protective Area: 18' x 18' Ages: 2-12 Weight: 295 lbs Also available 2'2" and 3'2" high



Flux Capacitor 477-733 Protective Area: 21' x 22' Ages: 5-12 Weight: 1,175 lbs



JAX® Web 477-210 Protective Area: 26' x 27' Ages: 5-12 Weight: 2,455 lbs



Linkz[™] Orbs (2 shown) 475-31 Protective Area: 14' dia. Ages: 5-12 Weight: 60 lbs



Isotope 462-1 Protective Area: 16' x 20' Ages: 5-12 Weight: 510 lbs



JAX® Peak 477-416 Protective Area: 29' x 28' Ages: 5-12 Weight: 2,300 lbs



JAX® Beanstalk-5 477-505 Protective Area: 18' x 19' Ages: 5-12 Weight: 1,400 lbs Available with 1, 2 (ages 2-13), 3, 4 or 5 JAX



School Bus

460-1

Compatibility: FS Protective Area: 22' x 17' Fire Truck and Beetle also available Ages 2-12



13' Geodesic Climber

402-2

Protective Area: 25' diameter Galvanized or Mira-Cote® 8', 13' or 18' Ages 5-12



3' S-Shaped Bongo™ Climber

714-792-3R2

Compatibility: FS
Protective Area: 34' x 25'
Attachment Range: 2' or 3'
Left hand or right hand
Ages 5-12

2' Bongo™ Jungle Climber

714-773-2

Compatibility: FS Protective Area: 34' x 25' Attachment Range: 2' or 3' Ages 5-12





Mira-Cote® Horizontal Ladder

43

Protective Area: 14' x 27' Ages 5-12

Flip-Flop Climber

434

Protective Area: 17' x 23' Ages 5-12



Peak Climber with Handrails Tarantula Climber 458-2 Protective Area: 28' x 13' 2 (shown), 3 or 4 way With or without handrails Ages 5-12



456-1 Protective Area: 22' x 22' Ages 5-12



Walker Climber 3-way 457-3 (shown) 1, 2 (shown) or 3 sections Protective Area: 19' x 18' Ages 5-12 (1 Section 2-12) Available in 2-way and 4-way

Wavy Wedge Wall



8 Sided Protective Area: 21' x 21' Ages 5-12

Wavy Wedge Wall Walker



Double Camel Back™ Protective Area: 28' x 15' Also available as single Ages 5-12

2, 3 (shown) or 4 way

Ages 5-12



Wave Walker Climber 459 Protective Area: 27' x 25'



CLIMBERS NETS



Gemini® 4M Double Net

443-4

Compatibility: FS
6M also available (Perseus)
Ages 5-12
Protective Area: 62' x 45'

Protective Area: 62' x 45' Height: 19'7" (6m)



Aquarius® 6M 442-6 Compatibility: FS

Ages 5-12 Protective Area: 39' x 39' Height: 13'1" (4m)



Pegasus® 4M

442-4

Compatibility: KC / FS
Ages 5-12
2M also available (Libra) - Ages 2-12
Protective Area 30' x 30'
Height: 6'6" (2m)



Round Up Climber 714-858-2 Compatibility: KC Ages 5-12



Tensile Tough™ Horseshoe Climber
767
Compatibility: KC / TCX / FS
Protective Area: 17' x 21'
Attachment Range 6" to 4'
Ages 2-12



Cargo Climb Over 714-845-6 Compatibility: KC / TC / TCX Attachment Range 6" to 4" (shown) Available 4' or 8' wide Ages 5-12

CLIMBERS NATURE'S CHOICE MONOLITHS & ROAMERS



Peekaboo Rock

Protective Area: 21'6" X 16'1"

494102

Ant Rock

494103

X Rope Bridge Only (Shown) 494305 Protective Area: Variable Matterhorn Rock 494101

Protective Area: 19'10" X 17'3" Product Dimensions: 7'6" X 5' X 9'5" Little Owl Rock

494106

Protective Area: 16'10" X15'1"
Product Dimensions: 4'6" X 2'9" X 7'7"
Ground Log

494121

Protective Area: 24'8" x 13'7" Product Dimensions: 12'4" x 1'4" x 2'



Baboon Rock 494104 Protective Area: 19'2" X 16'10" Product Dimensions: 7' X 4'10" X 7'1"



Product Dimensions: 9'2" X 3'9" X 9'

Billygoat Rock 494105 Protective Area: 20'4" X 15'6" Product Dimensions: 8' X 3'2" X 6'11"



Protective Area: 20'8" X 17'5"

Product Dimensions: 8'5" X 5'1" X 7'6"

Kid Rock 494107 Protective Area: 20'11" X 154" Product Dimensions: 8'7" X 3' X 5'10"



Lookout Rock 494108 Protective Area: 20'3" X 17'4" Product Dimensions: 7'11" x 5" x 9'2"



Rhino Rock 494109 Protective Area: 18'10" x 15'5" Product Dimensions: 6'6" x 3'1" x 7'7"



Ramp Rock 494110 Protective Area: 21' x 15'7" Product Dimensions: 8'10" x 3'7" x 2'7"



Iguana Rock 494111 Protective Area: 22'8" x 16'1" Product Dimensions: 10'4" x 3'9" x 4'5"



Stump Rock 494112 Protective Area: 19'2" x 17" Product Dimensions: 6'10" x 4'8" x 5'9"



Frog Rock 494113 Protective Area: 19'4" x 17'8" Product Dimensions: 7' x 5'4" x 3'3"



Bench Rock 494114 Protective Area: 19'9" x 15'7" Product Dimensions: 7'5" x 3'3" x 2'7"



Cave Rock 494115 Protective Area: 18'10" x 16'4" Product Dimensions: 6'6" x 4' x 5'5"

Pricing shown is for independent units as shown. Prices may vary when integrated into a modular playground structure.

CLIMBERS NATURE'S CHOICE MONOLITHS & ROAMERS



Chicken Rock 494116 Protective Area: 15'9" x 14'7" Product Dimensions: 3'5" x 2'3" x 3'10"



Pirate Rock 494117 Protective Area: 19'9" x 15'9" Product Dimensions: 7'5" x 3'5" x 5'11"



Lizard Log 494118 Protective Area: 21'9" x 15'8" Product Dimensions: 9'5" x 3'4" x 3'6"



Angle Log 494119 Protective Area: 19'4" x 14'6" Product Dimensions: 7' x 2'2" x 3'5"



Forked Log 494120 Protective Area: 20'2" x 15'6" Product Dimensions: 7'10" x 3'2" x 2'2"



Raccoon Log 494122 Protective Area: 19'5" x 15'7" Product Dimensions: 7'1" x 3'3" x 4'2"



Small Hop Rocks
494124
Protective Area: 17' x 16'1"
Medium Hop Rocks
494125
Protective Area: 17' x 16'1"
Large Hop Rocks
494126
Protective Area: 17' x 16'1"



Bison Rock 494127 Protective Area: 18'7" X 17'5" Product Dimensions: 6'3" x 5'1" x 6'5"



494123
Protective Area: 14'7" x 14'7"
Product Dimensions: 2'3" x 2'3" x 1'8"



Sandy Rock 494132 Protective Area: 19' x 20'10"

Product Dimensions: 9'2" x 7'3" x 7'



Needle Rock 494133 Protective Area: 18'6" x 16'6" Product Dimensions: 6'8" x 4'2" x 7'



Rock Step with Stump 494130 Protective Area: 17'7" X 13'3" Product Dimensions: 5'10" x 5' x 5'10"



Water Rock 494131 Protective Area: 119' x 20'10" Product Dimensions: 9'2" x 7'3" x 7'

CLIMBERS NATURE'S CHOICE ROPES



Two Rope Bridge Only 494302 Protective Area: Variable (Rocks not included)



Spider Monkey Web with Ant, Rhino and 2-Little Rocks 494506 Protective Area: 38'6" X 31'5" Product Dimensions: 19'10" X 13'5" X 7'7"




Vertical Rope with Matterhorn Rock 494504 Protective Area: 25'10" X 23'4" Product Dimensions: 7'6" X 5' X 9'5"




Peekaboo and Fishtail Rock 494502 Protective Area: 36' X 21'7" Product Dimensions: 17'6" X 3'10" X 9'

Diagonal Helix Climber with



Inca Jungle Net with Kid, Ant and Stump Rock 494503 Protective Area: 34'5" X 39'6" Product Dimensions: 20'10" X 16'9" X 7'6"



Offset Rope Bridge Only 494306 Protective Area: Variable (Rocks not included)

Pricing shown is for independent units as shown. Prices may vary when integrated into a modular playground structure.

CLIMBERS NATURE'S CHOICE ROPES



Three Rope Bridge with Ant and Baboon Rock Stump Rock

494507

Protective Area: 37'10" X 26'3"
Product Dimensions: 19'8" X 7'11" X 7'6"



Burmese Tiger Net with Peekaboo and Lookout and 2-Fishtail Rocks

494501

Protective Area: 46'5" x 33'7"

Product Dimensions: 27'10" x 15'1" x 9'2"



Scout Net with Lookout and 2-Fishtail Rocks

494505

Protective Area: 35'8" x 26'2"

Product Dimensions: 16'11" x 7'8" x 9'2"



Uneven Rope Bridge Only

494304

Protective Area: Variable

(Rocks not included)



Wood Spider Web with Stump, Kid and 2-Fishtail Rocks

49450

Protective Area: 44'1" x 33'7"

Product Dimensions: 26'1" x 15'10" x 5'10"



CLIMBERS ROCKS



Boulder Ridge® Rock Wall, In Ground

819

Compatibility: FS
Protective Area: 27' x 14'
Ages 5-12
Available in Bolt Down

1, 2, 3, 4 (shown), 5, 6 or 7 sections



Boulder Ridge® Rock Wall

819-D

Compatibility: KC / TCX Ages 5-12 1, 2, 3 (shown), or 4 section Attachment Range 6" to 3'



Boulder Climbing Tunnel

ឧាឧា

Compatibility: FS Protective Area: 21' x 19'

Ages 2-12



Mt. Kilimanjaro 8873 Protective Area: 25' x 19' Ages 5-12




Mt. Rainier 8872 Compatibility: FS Protective Area: 20' x 25' Ages 5-12



Mt. Hood 8871 Compatibility: FS Protective Area: 20' x 18' Ages 2-12

CLIMBERS NEXUS®



Velocity 1

466-S001 466-S002

Protective Area: 29' x 26' (8.8m x 7.9m) Shipping Weight: 475 lbs (215 kg)




Velocity 2

466-S003 466-S004

Protective Area: 35' x 27' (10.7m x 8.2m) Shipping Weight: 790 lbs (358 kg)







Velocity 3 (shown with net)

466-S005

Protective Area: 35' x 28' (10.7m x 8.5m) Shipping Weight: 790 lbs (358 kg)








Velocity 4 (shown with net)

466-S007 466-S008

Protective Area: 48' x 27' (14.6m x 8.2m) Shipping Weight: 1,105 lbs (500 kg)







Velocity 7 (shown with net)


466-S009 466-S010

Protective Area: 49' x 34' (14.9m x 10.4m) Shipping Weight: 1,360 lbs (616.kg)






CLIMBERS NEXUS®



Nautilus 1

466-S011

Protective Area: 26' x 27' (7.9m x 8.2m) Shipping Weight: 965 lbs (438 kg) Elevated Play Activities: 0 Ground Level Play Activities: 7 Play Area Capacity: 15-20



Nautilus 2

466-S012

Protective Area: 42' x 30' (12.8m x 9.1m) Shipping Weight: 1,520 lbs (689 kg) Elevated Play Activities: 0 Ground Level Play Activities: 11 Play Area Capacity: 25-30







OrbX® Climber 466-500

Compatibility: KC / FS

SPRING RIDERS



Lucky Lady Bug 960 Friendly ADA Spring Rider Protective Area: 17' x 16' (5.2m x 4.9m)



Hoppy Grasshopper 962 Keeps single rider hopping Protective Area: 18' x 17' (5.5m x 5.2m)



Buzzy Bumble Bee 961 Large oversized wings encourage transfer use by a child with a disability. Two-seated rider lets kids share the fun Protective Area: 17' x 15' (5.2m x 4.6m)



Pokey the Snail 963 Single-seat Rider Protective Area: 17' x 15' (5.2 m x 4.6m)



Flippo™ Offspring Rider 952 Kid-friendly critter has room for 2 Double C-Springs



Twin Rider 608-1 New twist on traditional see-saw Protective Area: 14' x 18' (4.3m x 5.5m)



Spaceship Columbia 939 Protective Area: 16' x 17' (14.9m x 15.2m)



Jet Interceptor 940 Protective Area: 14' x 15' (4.3m x 4.6m)



ATV 953 Protective Area: 14' x 15' (4.3m x 4.6m)

SPRING RIDERS



Big Tow Bouncer 913 Protective Area: 14' x 15' (4.3m x 4.6m)



Triceratops Bouncer 910 Protective Area: 14' x 15' (4.3m x 4.6m)



Dina Bouncer 911 Protective Area: 14' x 15' (4.3m x 4.6m)



Whale Bouncer 912 Protective Area: 14' x 15' (4.3m x 4.6m)



Moto Cross 920 Protective Area: 14' x 15' (4.3m x 4.6m)



Squirrel 918 Protective Area: 14' x 15' (4.3m x 4.6m)



Elephant938
Protective Area: 14' x 15'
(4.3m x 4.6m)



Rodeo Rocky 901 Protective Area: 14' x 15' (4.3m x 4.6m)



Lion 917 Protective Area: 14' x 15' (4.3m x 4.6m)



Seal 919 Protective Area: 14' x 15' (4.3m x 4.6m)



Frog 932 Protective Area: 14' x 15' (4.3m x 4.6m)

ACCESSORIES



Ten Spin 304 Protective Area: 20' x 20' Ages 2-12



Power Pedaler 823 Compatibility: KC / FS Ages 2-12 or 5-12



Log Roll 824 Ages 5-12



826 Compatibility: KC / FS Ages 5-12



Surfer 946-1 Ages 5-12



Chunky Trekker 714-631 Compatibility: KC / TC / TCX Ages 2-12 6" to 1'6"



Balance Beam 718-913 Compatibility: KC / TC / TCX Ages 2-12



Curved Balance Beam 714-913S Compatibility: KC / TCX Ages 2-12



Hang-A-Round 751 Compatibility: KC / FS Ages 5-12



Saddle Seat 945-1 Ages 2-12 Spinning seat



Jumping Bean 944 Springs like a pogo stick Ages 2-12



753
Ages 5-12
Rotates, can handle up to 10 children



Whirl 303 Ages 5-12



Wake Rider 608-5 Ages 5-12

ACCESSORIES FREESTANDING



Flipper 8027297 Ages 2-12 Protective Area: 15'2" x 15'2" (4.6m x 4.6m) Weight: 200 lbs (90,7 kg)



Reflex® 606-3 Protective Area: 37' x 14' Ages: 5-12 Weight: 650 lbs





Vippy 8021549 Ages 5-12 Protective Area: 22' 11" x 16' 2" (7m x 5m) Weight: 1325 lbs (601 kg)



Tri-Totter 923 Ages 5-12



714-632-5 Compatibility: KC / TCX Overhead climber posts ordered separately





Pirouette 8027630 Ages 2-12 Stand up see-saw



Barrel Ride 947 Protective Area: 15" diameter Ages 5-12



Multi-Pondo 150-060 Ages 5-12

ACCESSORIES FREESTANDING



Free Rider 8018603 Ages 5-12 Protective Area: 20' 1" x 19' 1" (6.1m x 6.05m) Weight: 335 lbs (140 kg)



Viper 2015 Ages 5-12 Protective Area: 56' 6" x 21' 9" (17.2m x 6.6m) Weight: 1,325 lbs (601kg)



745-20 (65' 7") 745-30 (98' 5") 745-20 Protective Area: 96' x 23' (29m x 7m) 745-30 Protective Area: 128' 9" x 23' (39m x 7m) Weight: 1,910 lbs (866 kg)



Miracle Timber Sandbox 1140 Ages 2-12



Mantis

Clover Leaf Sand Box 418-154 Ages 2-12



Sand & Sea Table 418-162 Ages 2-12



Seated X-Cavator™ 446MS Ages 2-12



ADA X-Cavator™ 446MA Ages 2-12



SLIDES FREESTANDING



630° Typhoon™ Slide with PVC Steps

Protective Area: 26' x 25' 9'4" heights



855° Typhoon™ Slide with PVC Steps

65-769 Protective Area: 28' x 28' 12' heights



360° Typhoon™ Slide with PVC Steps

Protective Area: 24' x 19' 6'3" heights



405° Typhoon™ Slide with PVC Steps

65-749 Protective Area: 24' x 20' 6'3" heights




315° Funnel Tunnel™ Slide with PVC Steps

65-742-8 8' (shown) to 10' heights Available left hand or right hand Available with or without windows



Straight Tube Slide (30" dia.) with PVC Steps

65-739-6W Protective Area: 35' x 21' 4', 5', and 6'6" heights Available with or without windows



"L" Tube Slide (30" dia.) with PVC Steps


65-740-51W Protective Area: 26' x 28' 5' and 6'6" heights Available left hand or right hand Available with or without windows



"S" Tube Slide (30" dia.) with PVC Steps

65-741-8W Protective Area: 35' x 25'

8' heights Available left hand or right hand Available with or without windows



315° Funnel Tunnel™ Slide with PVC Steps

65-742-8W Protective Area: 31' x 27' 8' heights Available left hand or right hand Available with or without windows



Freestanding Chameleon™ II Slide

65-670-16 Available in 5' or 6' (Shown) Available in multiple configurations



Chameleon™ II Slide for Nexus®

466-670-1 Available in 5' Available in multiple configurations Available NX and KC



Groove II® Slide with PVC Steps

65-638-5 Protective Area: 26' x 19' 4', 5', 6'6" and 8' heights



Groove[™] Slide with PVC Steps

65-727 Protective Area: 22' x 40' 4', 6'6" (Shown) and 8' heights



Mogul™ Slide with PVC Steps

65-726

Protective Area: 22' x 40' 4', 5', 6'6" and 8' heights



Mogul™/Groove™ Slide

71/-10

Protective Area: 27' x 38' 6'6" height



Protective Area: 24' x 22' 6'6" height

Also available with ladder- 714-180

Protective Area: 39' x 22'

SWINGS ARCH SWINGS / SINGLE POST / T-FRAME



Kids' Choice® 2 Bay Arch Swing



Single Post Swing



T-Swings with 2 Tot Seats



Tots' Choice® 2 Bay Arch Swing



Kids' Choice® Arch Swing with Tot Seats



Kids' Choice® Tire Swing

FRAME ONLY	WITH SEAT BELTS	WITH 360° TOT SEATS*	NUMBER OF SEATS	TOP RAIL HEIGHT	PROTECTIVE AREA**
5" Post Arch S	wings with Painted Fram	e and 5" Top Rail			<u>'</u>
714-852-2*	714-852-2S	714-852-2T	714-852-2T 2 8'		PA: 32' x 24' (9.8m x 7.3m)
714-852-2X*	714-852-2SX	714-852-2TX	14-852-2TX 2		PA: 32' x 24' (9.8m x 7.3m)
714-852-4	714-852-4S	714-852-4T	4	8'	PA: 32' x 36' (9.8m x 11m)
714-852-6	714-852-6S	714-852-6T	6	8'	PA: 32' x 47' (9.8m x 14.3m)
714-852-8	714-852-8S	714-852-8T	8	8'	PA: 32' x 59' (9.8m x 18m)
3½" Post Arch	Swings with Painted Fra	me and 3½" Top Rail			
718-852-2*	718-852-2S	718-852-2T	2	8'	PA: 32' x 24' (9.8m x 7.3m)
718-852-4	718-852-4S	718-852-4T	4	8'	PA: 32' x 36' (9.8m x 11m)
718-852-6	718-852-6S	718-852-6T	6	8'	PA: 32' x 47' (9.8m x 14.3m)
718-852-8	718-852-8S	718-852-8T	8	8'	PA: 32' x 59' (9.8m x 18m)
Arch Swings w	ith Painted Frame	•		•	ı
	714-852		1	8'	PA: 24' x 31' (7.3m x 9.4m)
	714-852X		1	8' Add a Bay	PA: 24' x 31' (7.3m x 9.4m)

^{*} Special frames available for Therapeutic Seat(s) ** The protective area for the to/fro direction for Tot Seat Swings is 24'

FRAME ONLY	WITH SEAT BELTS	WITH 360° TOT SEATS*	NUMBER OF SEATS	TOP RAIL HEIGHT	PROTECTIVE AREA**
5" OD Single Post	Swings with Painted Frame	and 23/8" OD Top Rail		,	'
714-735-2* 714-735-2S		714-735-2T	2	8'	PA: 32' x 24' (9.8m x 7.3m)
714-735-4	714-735-4S	714-735-4T	4	8′	PA: 32' x 35' (9.8m x 10.7m)
714-735-6	714-735-6S	714-735-6T	6	8'	PA: 32' x 46' (9.8m x 14m)
714-735-8	714-735-8S	714-735-8T	8	8'	PA: 32' x 57' (9.8m x 17.4m)
5" OD Twings (T-S	Swings) with Painted Frame				<u>'</u>
2012 2012S		2012T	2	8'	PA: 32' x 25'6" (9.8m x 7.7m)

^{*} Special frames available for Therapeutic Seat(s) ** The protective area for the to/fro direction for Tot Seat Swings is 24

SWINGS TRADITIONAL FRAME





2-Leg Galvanized Swing with 8 Belt Seats

3-Leg Painted Swing with 4 Belt Seats

FRAME ONLY	WITH SEAT BELTS	WITH 360° TOT SEATS*	NUMBER OF LEGS	NUMBER OF SEATS	TOP RAIL HEIGHT	FINISH	PROTECTIVE AREA**
One Bay, Two-Se	at Swings, 23/8" Top Rail	and Leg Diameter					
2832	2832S	2832T	3	2	8'	Painted	PA: 32' x 33' (9.8m x 10.1m)
2862	2862S	2862T	3	2	8'	Galvanized	PA: 32' x 33' (9.8m x 10.1m)
2901*	2901S	2901T	2	2	8'	Painted	PA: 32' x 30' (9.8m x 9.1m)
2903*	2903S	2903T	2	2	8'	Galvanized	PA: 32' x 30' (9.8m x 9.1m)
2712	2712S	NA	3	2	10'	Galvanized	PA: 40' x 33' (12.2m x 10.1m)
2772	2772S	NA	3	2	10'	Painted	PA: 40' x 33' (12.2m x 10.1m)
2905	2905S	NA	2	2	10'	Painted	PA: 40' x 31' (12.2m x 9.1m)
2907	2907S	NA	2	2	10'	Galvanized	PA: 40' x 31' (12.2m x 9.1m)
Two Bay, Four-Se	at Swings, 2¾" Top Rail	and Leg Diameter			•		,
2834	2834S	2834T	3	4	8'	Painted	PA: 32' x 44' (9.8m x 13.4m)
2864	2864S	2864T	3	4	8'	Galvanized	PA: 32' x 44' (9.8m x 13.4m)
2917	2917S	2917T	2	4	8'	Painted	PA: 32' x 41' (9.8m x 12.5m)
2919	2919S	2919T	2	4	8'	Galvanized	PA: 40' x 41' (12.2m x 12.5m)
2714	2714S	NA	3	4	10'	Galvanized	PA: 40' x 44' (12.2m x 13.4m)
2774	2774S	NA	3	4	10'	Painted	PA: 40' x 44' (12.2m x 13.4m)
2921	2921S	NA	2	4	10'	Painted	PA: 40' x 42' (12.2m x 12.8m)
2923	2923S	NA	2	4	10'	Galvanized	PA: 40' x 42' (12.2m x 12.8m)

^{*} Special frames available for Therapeutic Seat(s) ** The protective area for the to/fro direction for Tot Seat Swings is 24'

FRAME ONLY	WITH SEAT BELTS	WITH 360° TOT SEATS*	NUMBER OF LEGS	NUMBER OF SEATS	TOP RAIL HEIGHT	FINISH	PROTECTIVE AREA**
Three Bay, Six-Se	eat Swings, 2¾" Top Rail	and Leg Diame	ter	'			
2836	2836S	2836T	3	6	8'	Painted	PA: 32' x 55' (9.8m x 16.8m)
2866	2866S	2866T	3	6	8'	Galvanized	PA: 32' x 55' (9.8m x 16.8m)
2925	2925S	2925T	2	6	8'	Painted	PA: 32' x 52' (9.8m x 15.8m)
2927	2927S	2927T	2	6	8'	Galvanized	PA: 32' x 52' (9.8m x 15.8m)
2716	2716S	NA	3	6	10'	Galvanized	PA: 40' x 55' (12.2m x 16.8m)
2776	2776S	NA	3	6	10'	Painted	PA: 40' x 55' (12.2m x 16.8m)
2929	2929\$	NA	2	6	10'	Painted	PA: 40' x 53' (12.2m x 16.2m)
2931	2931S	NA	2	6	10'	Galvanized	PA: 40' x 53' (12.2m x 16.2m)

^{*} Special frames available for Therapeutic Seat(s) ** The protective area for the to/fro direction for Tot Seat Swings is 24'

SWINGS HEAVY DUTY TRADITIONAL FRAMES



3-Leg Painted Swing with 8 Belt Seats

FRAME ONLY	WITH SEAT BELTS	WITH 360° TOT SEATS*	NUMBER OF LEGS	NUMBER OF SEATS	TOP RAIL HEIGHT	FINISH	PROTECTIVE AREA**
Four Bay, Eight-S	eat Swings, 2¾" Top Rail:	s and Legs					
2838	2838\$	2838T	3	8	8'	Painted	PA: 32' x 66' (9.8m x 20.2m)
2868	2868\$	2868T	3	8	8'	Galvanized	PA: 32' x 66' (9.8m x 20.2m)
2933	2933\$	2933T	2	8	8'	Painted	PA: 36' x 63' (11m x 19.2m)
2935	2935\$	2935T	2	8	8'	Galvanized	PA: 36' x 63' (11m x 19.2m)
2718	2718S	NA	3	8	10'	Galvanized	PA: 40' x 66' (12.2m x 20.2m)
2778	2778\$	NA	3	8	10'	Painted	PA: 40' x 66' (12.2m x 20.2m)
2937	2937\$	NA	2	8	10'	Painted	PA: 40' x 64' (12.2m x 19.5m)
2939	29398	NA	2	8	10'	Galvanized	PA: 40' x 64' (12.2m x 19.5m)
Heavy-Duty Three	e-Leg Swings, 3½" Top Ra	ils and 2¾" Legs					
2941	29418	NA	3	2	10'	Painted	PA: 40' x 33' (12.2m x 10.1m)
2944	2944S	NA	3	2	10'	Galvanized	PA: 40' x 33' (12.2m x 10.1m)
2946	2946\$	NA	3	4	10'	Painted	PA: 40' x 44' (12.2m x 13.4m)
2950	2950\$	NA	3	4	10'	Galvanized	PA: 40' x 44' (12.2m x 13.4m)
2952	2952\$	NA	3	6	10'	Galvanized	PA: 40' x 55' (12.2m x 16.8m)
2954	2954\$	NA	3	6	10'	Painted	PA: 40' x 55' (12.2m x 16.8m)
2956	2956\$	NA	3	8	10'	Painted	PA: 40' x 66' (12.2m x 20.1m)
2958	2958S	NA	3	8	10'	Galvanized	PA: 40' x 66' (12.2m x 20.1m

^{*} Special frames available for Therapeutic Seat(s) ** The protective area for the to/fro direction for Tot Seat Swings is 24'

SWINGS SWING SEATS AND ACCESSORIES



Accelerator Swing 2014 Protective Area 26' x 29'



Tire Assembly with Coated Chain Requires Swivel Assembly (patented) Tire may contain Latex



Bucket Tot Seat



Tire Swing Swivel Assembly (patented)



Anti-Wrap Swing Hanger



Inclusive Seat



Belt Seat with Tensile Tough™ Coated Chain

NAME AND DESCRIPTION	MODEL	WEIGHT
Swing Seats and Accessories		
4-0 Chain per foot, hot dipped galvanized	304-096	1 lb (.5 kg)
Tire Swing Swivel Assembly (Patented)	278	40 lbs (18 kg)
Belt Seat	284	4 lbs (2 kg)
Belt Seat and Chain for 8' High Top Rail	2840	10 lbs (4.5 kg)
Belt Seat and Tensile Tough Chain for 8' High Top Rail	2840TT	12 lbs (5.4 kg)
Belt Seat and Tensile Tough Chain for 10' High Top Rail	2841TT	14 lbs (6.4 kg)
Belt Seat and Chain for 10' High Top Rail	2841	12 lbs (5.4 kg)
Tensile Tough Chain for 8' High Top Rail (pair)	294	8 lbs (4 kg)
Fensile Tough Chain for 10' High Top Rail (pair)	295	10 lbs (4.5 kg)
Tensile Tough Chain for 8' High 360° Bucket Tot Seat (pair)	296	6 lbs (2.7 kg)
360° Bucket Tot Seat	299	11 lbs (5 kg)
360° Bucket Tot Seat and Chain for 8' High Top Rail	2990	15 lbs (6.8 kg)
360° Bucket Tot Seat and Tensile Tough Chain for 8' High Top Rail	2990TT	19 lbs (8.6 kg)
Clevis with Bolt	851-123	1 lb (.5 kg)
Therapeutic Seat with Chain for 8' High Top Rail	2720	135 lbs (61 kg)
Tire Assembly only	975-244	30 lbs (13.6 kg)
Fire Assembly with Chain	976-082	50 lbs (32 kg)
arge Swing Clevis (Top Rail)	985-521	1 lb (.5 kg)
Swing Seat Shackle (pair)	990-410	.2 lb (.1 kg)
Accelerator Swing	2014	302 lbs (137kg)

FITNESS EQUIPMENT ADULT

PUSHING THE LIMITS WITH OUTDOOR FITNESS TRAINING

Whether the experience is fastpaced with maximum effort or simply stretching under the sun, Outdoor Training System offers a comprehensive exercise system focused on improving strength, building muscle, increasing cardio vascular fitness, and burning fat. Place it along a fitness trail, workout zone, high school or college field. Five exercise stations can be used as stand-alone events or configured together, creating the perfect outdoor training environment for either small groups or individual work-outs.





Group Fit 1

OTSM1

5 Stations + 6 Connectors + 6 Posts

Check out our Outdoor Training System brochure for more details.



FITNESS EQUIPMENT ADULT

STATIONS



2 Step

Use Zone: 5' x 9' / 188 lbs



Dip/Leg Raise



Stable Press

Use Zone: 6' 6" x 13' / 155 lbs Use Zone: 6' 6" x 13' / 143 lbs Use Zone: 6' 6" x 8 / 193 lbs




Ab Bench



Station Row

Use Zone: 6' 6" x 13 / 173 lbs

CONNECTORS




Traverse Bar

Use Zone: 6' 6" x 12 / 223 lbs



Pull-Up Bar

Use Zone: 6' 6" x 6' 6" / 203 lbs



Monkey Bar

Use Zone: 6' 6" x 13' / 229 lbs



Arch Ladder

Use Zone: 6' 6" x 6' 6" / 243 lbs



10-Foot Cargo Net

Use zone: 6' 6" x 13' / 323 lbs.



5-Foot Cargo Net

Use Zone: 6' 6" x 6' 6" / 238 lbs

FITNESS EQUIPMENT ADULT



Step Up 160-001 Strengthens thighs, knees and legs



Leg Lift 160-002 For thighs, legs and lower back



Body Curl 160-003* For strong abs and back



Beam Jump 160-005* Develops calf and thigh muscles



Sit Up 160-007 Increases torso strength and flexibility



Push Up 160-009 Strengthens back, shoulders, pecs and triceps



Chin Up 160-011 Shoulders, upper back, biceps, forearms and lats



Balance Beam 160-014 Enhances balance



Dip Station 160-016* Develops triceps and shoulder





Vertical Climb 160-015* Strengthens thighs, knees and calves



Rope Climb 160-017 For biceps, upper back, forearms and hands



Hyperextension Bench 160-018 Builds flexibility in hamstrings and lower back

FITNESS EQUIPMENT YOUTH



Instructional signs are available with Fitness Equipment for an additional cost.



Balance Beam 159-014 Enhances balance



Rope Climb 159-017 For biceps, upper back, forearms and hands



Parallel Bars 159-004* Shoulders, triceps, upper back and forearms



Back Stretch Bench 159-018 Builds flexibility in hamstrings and lower back



Sit Up 159-007 For abdominal muscles



Step Up 159-001 Strengthens thighs, knees and legs



Leg Lift 159-002 For thighs, legs and lower back



Hip Twist 159-008 Increases torso strength and flexibility



Push Up 159-009 Strengthens back, shoulders, pecs and triceps

^{*}Also available in Adult models



ITAISIA STRONGER

SITE AMENITIES

We can help you add the right finishing touches to your Miracle playspace, with the ongoing promise of quality, durability, and value.

HERE YOU'LL FIND:

- 190 Site Amenities
- 192 Athletic Equipment
- 193 Pool Slides
- 194 Sun Shades
- 196 Signage & Fencing
- 198 Surfacing & Surfacing Borders

It all begins with a healthy imagination that gains traction in backyards and playgrounds in towns everywhere.

Tom Henricks

ASTRONAUT AND NOT-SO BORED OF DIRECTORS MEMBER

SITE AMENITIES

We've got everything you need to enhance your outdoor space. From tables and benches to grills and litter receptacles, Miracle's expansive portfolio offers the perfect mix of quality and style to help any recreational space go from ordinary to extraordinary. The Miracle line of site amenities offers a diverse collection of styles while maintaining the superior durability and value you expect.





Sofiero Series

Punched Steel Series

TABLES







Aluminum Series



Legacy Series

BENCHES



Punched Steel Series



Recycled Series



Pixbo Series

Contact a local Miracle representative for a full listing of our Site Amenities products.



PLAYER BENCHES & BLEACHERS





Aluminum Series

Aluminum Series

LITTER RECEPTACLES









Legacy Series

Recycled Series

Contempo Series

GRILLS & FIRE RINGS







Campfire Ring & Tilt Grate



Standard Park Grill



Super Park Grill

ATHLETIC EQUIPMENT



Complete Goal with Nylon Net and Fixed Steel Fan-Shaped Backboard 360-757



Complete Goal with Chain Net and Steel Fan-Shaped Backboard 360-756



Rectangular Shaped Backboard Only 851-690WT



Single Rim 851-6700R



Fun Tunnel® 282-200 Price: \$1,048 No protective area required



Tether Ball 282-222

BASKETBALL COMPLETE GOALS					
DESCRIPTION	MODEL	EXTENSION	POST SIZE		
Adjustable Steel Fan, Single Rim, & Steel Net	360-110	48"	4½" O.D.		
Adjustable Steel Fan, Single Rim, & Steel Net	360-127	72"	5 " O.D.		
Adjustable Steel Rect., Single Rim, & Steel Net	360-504	48"	4½" O.D.		
Fixed Steel Fan, Single Rim, & Steel Net	360-740	32"	3½" O.D.		
Fixed Steel Fan, Single Rim, & Steel Net	360-753	48"	4½" O.D.		
Fixed Steel Rect., Single Rim, & Steel Net	360-755	48"	4½" O.D.		
Fixed Steel Fan, Double Rim & Steel Net	360-756	48"	4½" O.D.		
Fixed Steel Fan, Double Rim & Nylon Net	360-757	48"	4½" O.D.		
Fixed Alum. Fan, Double Rim & Steel Net	360-758	48"	4½" O.D.		
Fixed Alum. Fan, Double Rim & Nylon Net	360-759	48"	4½" O.D.		

Tixed / (Iditi. Fait, Double Kiitt & Mylott Net	000 707	40	4/2 0.0.
BASKETBALL RIMS, BACKBOARDS, NETS AND S	UPPORT POSTS		
DESCRIPTION	MODEL	EXTENSION	POST SIZE
Nylon Net	103-100	NA	NA
10-Gauge Steel Fan	851-650WT	NA	NA
Steel Chain Net	851-661	NA	NA
Heavy-Duty Steel Net	851-661-1	NA	NA
Single Rim for Steel Net	851-670OR	NA	NA
Single Rim for Nylon Net	851-671OR	NA	NA
12-Gauge Steel Rectangular	851-690WT	NA	NA
Adjustable Height, 4½" O.D., 48" Extension (Rectangular Only)	853-688	48"	4½" O.D.
Cast Aluminum Fan (unpainted)	854-401	NA	NA
Double Rim for Nylon Net	856-3361OR	NA	NA
Double Rim for Steel Net	856-336OR	NA	NA
Fixed Height, 3½" O.D., 32" Extension	856-991	32"	3½" O.D.
Adjustable Height, 4½" O.D., 48" Extension	856-992	48"	4½" O.D.
Adjustable Height, 5% "O.D., 72" Extension	856-993	72"	5 º/16" O.D.
Fixed Height, 4½" O.D., 48" Extension	856-994	48"	4½" O.D.
Basketball Fastener Kit	976-560	NA	NA
OTHER GAME EQUIPMENT			
DESCRIPTION	MODEL	EXTENSION	POST SIZE
Baseball Backstop with Hood	341-459	1 ⁷ /8" O.D.	2 3/8" O.D.

343-570

282-222

282-200

NA

NΑ

NA

 $4'' \times 4''$

2 ³/8" O.D.

5" O.D.

Soccer Goal (Net not included)

Tether Ball (Ball included)

Fun Tunnel®



185-101 Deck Height: 5'6" (1.7m) Ground Space: 14'9" x 8'4" (4.5m x 2.5m)

Weight: 1,240 lbs



185-215 Deck Height: 5'6" (1.7m) Ground Space: 16'2" x 10'4" (4.9m x 3m) Weight: 2,600 lbs



185-301 Deck Height: 5'6" (1.7m) Ground Space: 17'7" x 10' (5.4m x 3.1m) Weight: 3,150 lbs



185-403 Deck Height: 5'6" (1.7m) Ground Space: 19' x 19' (5.8m x 5.8m) Weight: 4,150 lbs

SUN SHADES

Durable, Versatile and Strong

Miracle's Sun Shades have you covered, with numerous sizes of shade structures and shade toppers that can be mounted directly in playground posts or used as freestanding units.



Custom Designs

Call your local representative for more information.

Fabric Colors



White Shade Factor: 50 UV Factor: 85



Sunflower Yellow Shade Factor: 70 UV Factor: 94



Desert Sand Shade Factor: 75 UV Factor: 95



Laguna Blue Shade Factor: 90 UV Factor: 93



Royal Blue Shade Factor: 90 UV Factor: 94



Navy Blue Shade Factor: 90 UV Factor: 94



Rain Forest Shade Factor: 88 UV Factor: 95

Fire Retardant Fabric Colors



Yellow Shade Factor: 80 UV Factor: 89



Desert Sand Shade Factor: 80 UV Factor: 92



Silver Shade Factor: 80 UV Factor: 81



Terra-cotta Shade Factor: 75 UV Factor: 82



Red Shade Factor: 80 UV Factor: 86



Blue Shade Factor: 80 UV Factor: 85



Green Shade Factor: 80 UV Factor: 85

Please contact your sales representative for shade & color availability.



Square Sail Shade - Post Mounted 669-\$ Compatibility: KC / TC / TCX 12', 18' and 20' options



Hexagon Sail Shade - Post Mounted 669-617S Compatibility: KC / TC / TCX (17' shown) 26' option also available



Hexagon Shade - Post Mounted 669-617 Compatibility: KC / TC / TCX (17' shown) 26' option also available



Pyramid Shade - Post Mounted 669-P Compatibility: KC / TC / TCX 12', 18' and 20' options



Triangle Shade - Freestanding

We make Shade easy! Contact your local sales representative for our integrated and freestanding shade options.

SIGNAGE AND FENCING



Freestanding Rock-ite® Welcome/ Safety Sign

714-734

Durable Rock-ite® plastic construction Factory applied pre-printed graphics Sign details safety guidelines Specifies ages for playsystem

Sign front side

Top Panel of sign reads:

WELCOME! Have Fun and Play Safely on this Miracle® Playground! This play structure is designed for kids ages 2-5 (or 5-12 or 2-12)

Lower panel of sign reads:

The smart way to play:
Take turns on all play equipment.
No pushing, shoving, or rough stuff.
Be careful when the equipment is wet.
Use the equipment correctly (see recommendations on reverse side) for fun and safety.

And above all, have fun!

• Adult Supervision recommended



Custom Mira-Lene™ Signage

Example shown by permission of the Kansas City Royals; made for Kauffman Stadium's Sluggerrrland playground. Words and designs are routered into a 2-color Mira-Lene™ panel



Custom Mira-Lene™ Welcome Sign

Call your Miracle® consultant for special custom signage pricing



Welcome Panel

732

Compatibility: KC / TC / TCX Ages 2-5, 5-12 and 2-12 Available as deck mounted or Freestanding model 733

SIGNAGE AND FENCING



Mira-Lene™ Freestanding Welcome Sign

714-733 / 718-733 Ages 5-12 714-733-1 / 718-733-1 Ages 2-5 714-733-2 / 718-733-2 Ages 2-12 Available with 5" O.D. or 3.5" O.D. Posts Call your local Miracle® representative for pricing



Custom Mira-Lene™ Signage Add your playground name or honor sponsors of community-build projects



Playground Fencing

714-577-4 4' lengths 714-577-8 8' lengths / 45 lbs (20kg) and 90 lbs (41kg) 714-555 Posts for playground fencing / 50 lbs (23kg) Available as in-ground or surface mount. Call for pricing



Arch Entry for Fencing

714-578

Available as in-ground or surface mount

43" inside opening between posts

Available in a wide variety colors. See color selection guide in back of the catalog



Style, Safety, Durability and Environmental Accountability–Miracle® Playground Surfacing Has You Covered! Miracle's two earth-friendly playground surface options offer great choices for any playground. Select one here, or browse online at miracle-recreation.com.

Play Terrain® Synthetic Turf

It looks and feels like lush, natural grass. But revolutionary Play Terrain® Synthetic Turf delivers even more!

- No turf is "greener!" No watering, fertilizers or pesticides
- 100% recyclable
- Nearly maintenance-free
- Shock absorption and impact protection from falls
- Designed in accordance to fall heights for 6', 9' and 12' per ASTM F 1292
- IPEMA Certified
- Play Terrain® Synthetic Turf incorporates anti-microbial coated sand infill to minimize mold and mildew!
- Safely eliminates potentially harmful buried debris
- Completely ADA-accessible; fully complies with ASTM and ADA accessibility requirements (ASTM F 1951)
- Durability; weathers all climate conditions (rain, temperature, etc.)
- Accommodates different styles, sites (slopes, contours, etc.)

Play Terrain® Rubber Mulch

Miracle's loose fill Play Terrain® Rubber Mulch delivers great safety protection for the dollar, and its durability is ideal for high-traffic playgrounds in public parks, schools and churches!

- Our earth-friendly rubber mulch is from 100% recycled materials
- Made from 100% clean recycled tires (vulcanized)
- Proven durability: 10-year warranty* on product performance
- Proprietary UV stabilized color technology warranted for 8 years against a complete color loss
- Non-toxic, with non-toxic colorant that won't rub off on kids
- Won't crack, harden, deteriorate, rot or decompose as wood will
- Suitable for fall height ratings up to 12' at proper surfacing depth
- IPEMA tested and certified; also meets wheelchair accessibility specification ASTM F1951
- Meets or exceeds US Consumer Product Safety Commission (CPSC), IPEMA and ASTM criteria for safety surfacing attenuation and absorption

Rubber Mulch Color Choices



Black



Cocoa Brown



Forest Green



Royal Blue



Terracotta Red

SURFACING BORDERS



Miracle Timber Male Length Adapter End Cap

440 440R Recycled Black 5 lbs (2 kg)



Single Miracle Timbers

440-12
72" long x 12' high by 4" wide
Each timber includes (2) galvanized stakes
35 lbs (16 kg)



Timber Access Ramp

440-6 440-6R Recycled access ramp Provides ADA access to your play area 260 lbs (118 kg)



Double Tier Miracle Timbers

440-24 72" long, 24" high and 4" wide 65 lbs (29 kg)



Miracle Timber Female length End Cap

440-1 440-1R Recycled Black 5 lbs (2 kg)



Recycled Miracle Timbers

440-12 R Single 440-24 R Double Tier 20 lbs (9 kg) Recycled black



Miracle Timber Opening Kit

440-3 440-3R Recycled opening kit 30 lbs (14 kg)

MIRACLE TIMBER COLOR CHOICES



Hunter Green



Brown



Royal Blue



Black (Recycled)

MIRACLE® PARTNERS WITH:



GSA ADVANTAGE!

Miracle® Recreation Equipment Company (approved ISO 9001 and ISO 14001 certified) is a supplier to the US General Services Administration. You can shop for Miracle® Products electronically from the GSA Advantage website. Miracle's GSA number is: GS07F9713G




NJPA

Miracle is proud to partner with the National Joint Powers Alliance (NJPA). They go through the same competitive bid process, so you don't have to.

CERTIFICATIONS AND AFFILIATIONS:



- ISO 9001 Certification: The International Standards Organization is a network of national standard institutes from 146 countries that work in partnership with international organizations, governments, industry, business and consumer representatives to develop universal standards for quality, environmental and management processes. Miracle's ISO 9001:2008 certification demonstrates documented, world-class manufacturing quality control practices are being employed to support our quality commitment to VOU.
- Miracle Recreation® Equipment Company's processes and factory are certified as compliant to ISO 14001-2004 Environmental Management Standards
- In the interest of playground safety, IPEMA provides a Third Party Certification Service whereby a designated independent laboratory validates a participant's certification of conformance to ASTM F1487, Standard Consumer Safety Performance Specification for Playground Equipment for Public Use, except Play Spaces and Equipment, except clauses 9.8, 10 & 11; or both. The use of the corresponding logo in Miracle's catalog signifies that Miracle® has received written validation from the independent laboratory that the product(s) associated with the use of the logo conforms with the requirements of the indicated standard. Check the IPEMA website at



www.ipema.org to confirm product validation.







• European Norm EN-1176. Miracle® offers playgrounds that have been certified by TüV Product Service, the recognized testing house designated by the European Union. This certification demonstrates compliance with the European Harmonized Standard for Commercial Play Equipment, EN 1176.



• IPEMA Member: Miracle® is a member in good standing of the International Play Equipment Manufacturer's Association (IPEMA), a member-driven international trade organization which represents and promotes an open market for manufacturers of play equipment.



• Canadian Welding Bureau Certified





COMPREHENSIVE COVERAGE WITH THE MIRACLE® LIMITED WARRANTY

Buyer agrees that products sold by Miracle Recreation Equipment Company carry only the following warranties:

- 1. LIMITED WARRANTY FOR AS LONG AS YOU OWN THE PRODUCT against structural failure due to corrosion and defects in materials and workmanship on aluminum deck posts, steel deck posts, the VersaLok® fastening system, and associated fastening hardware.
- 2. LIMITED FIFTEEN (15) YEAR WARRANTY against structural failure due to corrosion and defects in materials and workmanship on steel support legs and Mira-Therm™ II on MEGA TOWER®, TOTS' CHOICE®, KIDS' CHOICE®, CENTER STAGE®, Nexus® and Boulder Ridge® Rock Wall; on playsystem steel components including railings, rungs, and rigid climbers; and Rockite®.
- 3. LIMITED FIFTEEN (15) YEAR WARRANTY against structural failure due to corrosion and defects in materials and workmanship on all PlayCover® and Outdoor Training System steel frames.
- 4. LIMITED TEN (10) YEAR WARRANTY on Play Terrain® Rubber Mulch safety surfacing against total color loss and for attenuation performance. Please contact your local representative for more information.
- 5. LIMITED EIGHT (8) YEAR WARRANTY on Play Terrain® Synthetic Turf safety surfacing for attenuation performance and appearance. Please contact your local representative for more information.
- 6. LIMITED EIGHT (8) YEAR WARRANTY against rot, UV deterioration and defects in materials and workmanship on all PlayCover® fabric (NOTE EXCEPTION shades of red carry LIMITED THREE (3) YEAR WARRANTY).
- 7. LIMITED FIVE (5) YEAR WARRANTY against structural failure due to defects in materials and workmanship on Kidrox® Climbing Rocks.
- 8. LIMITED FIVE (5) YEAR WARRANTY against degradation of design loading capabilities on all Webscapes® Net Climbers and Nexus® Nets (NOTE EXCEPTION Webscapes® Net Climbers and Nexus® Nets carry a LIMITED ONE (1) YEAR WARRANTY against defects in materials and workmanship).
- 9. LIMITED THREE (3) YEAR WARRANTY against failure due to defects in materials and workmanship on Trim Timbers®
- 10. LIMITED ONE (1) YEAR WARRANTY against failure due to defects in materials and workmanship on Slashproof Swing Seats and 360° Bucket Tot Seats for Swings.
- 11. LIMITED ONE (1) YEAR WARRANTY against structural failure due to defects in materials and workmanship on the following products and components: TODDLERS' CHOICE® main support materials and decks; pool slide support structures, stairways, landings, and railings; and bleachers.
- 12. LIMITED ONE (1) YEAR WARRANTY against failure due to defects in materials and workmanship on all MiracleTech™ Security products, including ParkWatch™, SonicScreen™ and SiteBrite™.
- 13. LIMITED ONE (1) YEAR WARRANTY against structural failure due to defects in materials and workmanship for all products and components that are not specifically listed above, including, without limitation, all moving parts, such as swing hangers, swivels, chains, whirls, trolleys and flexible climbers.

BUYER'S REMEDY: If any products prove defective or non-conforming under normal use and within the above-prescribed warranty periods, Buyer must promptly notify Miracle in writing at 878 E. Hwy 60, Monett, MO 65708 USA. Miracle will within a reasonable time and in its sole discretion repair or replace such defective or non-conforming product by providing replacement products or part(s) free of charge to the site. Miracle's limited warranties do not cover the cost of labor to remove defective or non-conforming part(s) or to install repaired or replacement part(s).

All warranty periods begin on the date of Miracle's invoice. Repaired and/or replacement part(s) are warranted only for the balance of the original limited warranty. All warranties extend only to the original Buyer/end user of products from Miracle or Miracle's authorized reseller and are not transferrable.

These limited warranties apply only to Miracle products that are erected and installed in conformance with Miracle's installation instructions, and that are maintained and inspected in conformance with Miracle's maintenance and operational instructions. These limited warranties specifically do not cover Miracle products: that have been modified, altered, or misused; that have not been used as designed or intended; to which non-Miracle parts have been added or substituted; or that have been damaged due to excessive wear and tear, vandalism, abnormal use, abuse, negligence, extraordinary weather or acts of God. MiracleTech Security™ systems limited warranties do not cover products serviced or repaired by unauthorized service providers. These limited warranties do not protect against color fade, except for PlayCover® as noted above. Buyer, by acceptance and use of these limited warranties, waives any rights it would otherwise have to claim or assert that this limited warranty fails of its essential purpose. Buyer agrees that venue for any court action to enforce these limited warranties shall be in Barry or Greene Counties in the State of Missouri.

EXCEPT AS EXPRESSLY WARRANTED HEREIN, MIRACLE EXPRESSLY DISCLAIMS ANY OTHER WARRANTIES, INCLUDING IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE AND THOSE ARISING BY STATUTE OR OTHERWISE IN LAW OR FROM COURSE OF DEALING OR USAGE OF TRADE. IN NO EVENT SHALL MIRACLE BE LIABLE FOR ANY SPECIAL, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES, WHETHER BASED UPON CONTRACT, TORT, OR ANY OTHER LEGAL THEORY (INCLUDING WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION, LOSS OF INFORMATION, CONSEQUENTIAL, INCIDENTAL, INDIRECT OR SPECIAL DAMAGES OR OTHER PECUNIARY LOSS).

D70057 Rev. T - December 11, 2014

COLOR CHOICES

Rock-ite® Plastic Color Choices

Roofs, Slides, Big Timber® Components, Crawl Tubes, Bongos™, Bumpers and Panels.



Miracle Exclusive Rock-ite® **Plastic Color Choices**

Please consult with your Miracle Representative concerning the availability of these exclusive Rock-ite® Colors on certain components.



Granite Gray



Autumn Brown









Mira-Lene™ Panel Color Choices













Lagoon Purple













Sand

Red/Sand

Red/Yellow

Red/White

Blue/Yellow

Blue/White

Yellow/Red Yellow/Blue Yellow/Black Black/White

Mira-Cote® Powder-Coated **Painted Metal Color Choices**

Posts, Arches, Swings and Accents (Railings & Climbers).



Miracle Anti-Microbial **Color Choices**

Fight the spread of germs with Miracle's exclusive anti-microbial treatment. This proprietary treatment helps to protect equipment from bacteria, mold, algae growth, and stains.



Textured Mira-Therm™ Color Choices

Mira-Therm[™] coatings for Decks, Steps, Ramps, Bridges and Cargo Climbers are available in either orthophtalate-free coatings with anti-microbial enhancements.

























Miracle swing

seat colors





Yellow


Hunter



Sand



Black



Red

Hunter Green Royal Blue

Sand

Brown

Dark Gray

THEMED COLOR CHOICES

Designer...Give your playground style!

Color your playground with one of the exciting themed color combinations below, or create a custom palette with our wide selection of standard surface colors and Designer + Series paints–even match school colors! Ask your representative for information on custom color combinations.



MIRACLE REPRESENTATIVES

CONTACT THE MIRACLE® REPRESENTATIVE IN YOUR AREA

ALABAMA

Jefcoat Recreation

(866) 414-3625

www.iefcoatrecreation.com

ALASKA

Cascade Recreation

(888) 280-8010

info@cascaderec.com

ARIZONA

Miracle Playground Sales

(800) 905-1411

sales@miracleplayground.com

ARKANSAS

Ash Recreation & Design, LLC.

Brian Ash (800) 933-6484

brian@ashrecreation.com

CALIFORNIA-CENTRAL

Edwards & Associates

(800) 371-7635

edwardsmiracle@aol.com

CALIFORNIA-SOUTH CENTRAL

Miracle Playground Sales

(800) 264-7225

sales@miracleplayground.com

CALIFORNIA-NORTHERN Miracle Playsystems

(800) 879-7730

info@miracleplaygroup.com

CALIFORNIA-SOUTHERN

Miracle Playground Sales (800) 264-7225

sales@miracleplayground.com

COLORADO

Chris Churchich

(800) 729-7529

sales@churchichrecreation.net

CONNECTICUT

John W. Hollerbach

(888) 844-7529 john@creativerec.com

DELAWARE

Liberty Parks & Playgrounds, Inc.

(877) 376-7823

info@libertyparks.com

DISTRICT OF COLUMBIA-

WASHINGTON **Chuck Taylor**

(800) 286-9693

miraclewvmd@aol.com

FLORIDA-CENTRAL & WEST

Joe & Susan Miller 941-792-4580

mrecfla@tampabav.rr.com

FLORIDA-NORTH & PANHANDLE

True North Recreation Rich Falkowski

(407) 883-8463

miracle@truenorthrecreation.com

FLORIDA-SOUTHERN

Miracle of South Florida

(954) 520-4523

connieb@miracleofsouthflorida.com

GEORGIA

Fric Hasley (770) 965-4042

sales@hasley-recreation.com

Rec and Roll, LLC

(808) 485-8885 Rory@nylawn.com

IDAHO

Vern Garrett

(800) 748-4608

vern@aarrettandcompanv.com

LLINOIS-NOPTHERN

Team REIL

(888) GFT-RFII sales@aetreil.com

ILLINOIS-SOUTHERN

Hutchinson Recreation & Design

(800) 848-5616

sales@hutchinson-recreation.com

INDIANA

Miracle Midwest

(800) 722-8546

info@miraclemidwest.com

IOWA

Mark Boland

(800) 798-7589 iowaparkplace@mchsi.com

KANSAS

Grea Stein

(888) 811-8323 miraclerecreation@yahoo.com

Tami Phillips

(800) 251-5578 tami@miraclekytn.com

LOUISIANA

Tracey Kincade (936) 328-9733

kincaderecreation@eastex.net

MAINE

Fric Welzel

(800) 655-6355 Eric@maine-playgrounds.com

MARYLAND

Chuck Taylor

(800) 286-9693 miraclewvmd@aol.com

MASSACHUSETTS-WESTERN,

NORTHERN, CENTRAL

Cindy Maak

(888) 551-3155

cindy@sitespecifics.net

MASSACHUSETTS-SOUTHEASTERN

John W. Hollerbach

(888) 844-7529

john@creativerec.com

MICHIGAN

Miracle Midwest (800) 722-8546

info@miraclemidwest.com MINNESOTA

Jay Webber

(800) 677-5153

iwebber@webberrec.com

MISSISSIPPI

Jefcoat Recreation (866) 414-3625

www.jefcoatrecreation.com

MISSOURI-EASTERN

Hutchinson Recreation & Design

(800) 848-5616 sales@hutchinson-recreation.com

MISSOURI-WESTERN

Bill Wickham

(888) 371-7529 playgroundbill@gmail.com

ΜΟΝΤΑΝΑ

RC6 Ruilders

(701) 590-0024 cebes@ndsupernet.com

NEBRASKA

Eric & Nicole Crouch

(800) 747-7528

eric@crouchrec.com nicole@crouchrec.com **NEVADA**

Miracle Playground Sales

(800) 905-1411

sales@miracleplayaround.com

NEW HAMPSHIRE

Pettinelli & Associates

(800) 775-8154

playgrdbob@aol.com **NEW JERSEY**

Liberty Parks & Playgrounds, Inc.

(877) 376-7823

info@libertyparks.com

NEW MEXICO

Chris Churchich

(800) 729-7529 sales@churchichrecreation.net

NEW YORK CITY-LONG ISLAND

PlaySafe Playground Systems of NY, Inc.

Sal Romanello (516) 677-9240

playgroundman@msn.com

NEW YORK-NORTHERN

Pettinelli & Associates (800) 775-8154

playgrdbob@aol.com

NEW YORK-SOUTHERN Pettinelli Recreation

(518) 461-5917

robertpettinelli@vahoo.com **NEW YORK-CENTRAL & WESTERN**

Joe Denzak Jr.

(800) 925-1545

drecreat@twcny.rr.com

NORTH CAROLINA Carolina Recreation & Design

Don Hemingway (704) 664-1833

don@carolina-recreation.com NORTH DAKOTA

BC6 Builders

(701) 590-0024

cebes@ndsupernet.com

ОНЮ

Miracle Midwest (800) 722-8546

info@miraclemidwest.com

OKLAHOMA

Ash Recreation & Design, LLC.

Brian Ash (800) 933-6484

brian@ashrecreation.com

OREGON Miracle Playsystems

(800) 879-7730 info@miracleplaygroup.com

PENNSYLVANIA-EASTERN

Liberty Parks & Playgrounds, Inc. (877) 376-7823

info@libertyparks.com

PENNSYLVANIA-WESTERN

Mark Ford (877) 478-1775

mford@sportsrecassoc.com **RHODE ISLAND**

John W. Hollerbach (888) 844-7529

iohn@creativerec.com **SOUTH CAROLINA**

Jeff & Sue Churchich (843) 757-3156

jeff@churchichrecreation.com

SOUTH DAKOTA

Fric & Nicole Crouch

(800) 747-7528

eric@crouchrec.com nicole@crouchrec.com

TENNESSEE

Tami Phillips

(800) 251-5578

tami@miraclekytn.com

TEXAS-CENTRAL (AUSTIN) webuildfun

(512) 636-0933

joshb@webuildfun.com

TEXAS-EAST AND SOUTHEAST Randy May

(800) 964-6301

randy@mayrecreation.com TEXAS-NORTH (DALLAS/FT. WORTH

METROPLEX)

Vince Allen

(888) 254-5482 va@webuildfun.com

TEXAS-PANHANDLE

Tracey Kincade

(936) 328-9733 kincaderecreation@eastex.net

TEXAS-SOUTHERN **Bob Ahrens**

(800) 626-0238 fun@miracleparkplace.com

TEXAS-WESTERN

Chris Churchich

(800) 729-7529 sales@churchichrecreation.net

UTAH

Vern Garrett

(800) 748-4608

vern@garrettandcompany.com

VERMONT Pettinelli & Associates

(800) 775-8154

playgrdbob@aol.com

VIRGINIA

R. Fort Alexander (800) 568-8396

sales@siteconceptsva.com

WASHINGTON

Cascade Recreation (888) 280-8010

info@cascaderec.com

WEST VIRGINIA Chuck Taylor

(800) 286-9693 miraclewvmd@aol.com

Team REIL (888) GET-REIL

sales@getreil.com WISCONSIN-WESTERN

(800) 677-5153 jwebber@webberrec.com

WYOMING-EASTERN

Jay Webber

Chris Churchich (800) 729-7529

WYOMING-WESTERN

Vern Garrett

(800) 748-4608 vern@garrettandcompany.com

sales@churchichrecreation net

PlayPower Canada Representatives (866) 516-0245



878 E Highway 60 Monett, Missouri, USA 65708 www.miracle-recreation.com Toll Free 1-888-458-2752 International +1-417-235-6917 Fax +1-417-235-3551

